610.02 US7C

This issue contains the SEPTEMBER INDEX

CURRENT LIST of MEDICAL LITERATURE

Vol. 15 **September 24, 1948** **No. 10-A**

THE ARMY MEDICAL LIBRARY
Washington, D. C.

The CURRENT LIST OF MEDICAL LITERATURE is for sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Price. $3.00 per year ($3.75 foreign); 10 cents per single copy. All communications regarding subscriptions should be addressed to the Superintendent of Documents

Published weekly by the ARMY MEDICAL LIBRARY, 7th Street & Independence Ave., S. W., Washington 25, D. C., as an intraservice publication of the Department of the Army. Lists articles of medical interest contained in current journals received. Subject index provided monthly. Exchange invited.

SUBJECT INDEX

Vol. 15, Nos. 8-10 (cols. 561-800)

September 24, 1948

ABDOMEN, acute 609o,654f,--in child. 782s; dis. 669l; masses diag. 674b; pain 614c,717k; surg. 608h,634o,641m,785j; tumor 734m; wds. & inj. 690u
ABNORMALITIES AND DEFORMITIES, hered. 582u
ABORTION, 591k,664b,677c,691q,742b; accidents 738a; induced 630e; legal asp. 610u,769p; surg. 583o; Sweden 771o; ther. 663s; tocopherol blood level 611b
ABSCESS, multiple 734s
ACALCULIA, 605k
ACCIDENTS, in child. 781p; indust. prev. 761e
ACETONAPHTONE, chem. 626m
ACETONEMIA, infants 623i
ACETOPHENETIDIN, tox. 686r
ACETYLCHOLINE, 626c,703u,755w,786k; antagonists 751m; eff. 749v; in saliva 700q; metab. 700j; ther. 669b
ACID, acrylic 648f; p-aminosalicylic 563o,599f, 630t,783n; bile, physiol. 703-1; cholic 740w; fatty, determ. 626n; glutamic 704h; hippuric 737f; linolic 786o; oleic 563n; pantothenic defic. 693d; pteroylglutomic 565j; ribonucleic 741r; salicylic 626k,626-1; trichloroacetic 612e,733-1; uric 652i
ACIDITY, eff. 656e
ACIDOSIS, 677i; diabetic 680c
ACNE, conglobata 573f; ther. 573i,593b; vulgaris 680d
ACONITE, 627f
ACRIDINE, p-amino 676m
ACROMEGALY, 577b
ACTINOMYCES, asteroides 565g
ACTINOMYCOSIS, 779s; pulmonary 607n,781k; staphylococcic 673n
ADDISON'S DISEASE, 749c,773j; blood in 585-1; compl. & seq. 603t; ther. 578a,578i,666c,747n
ADENOIDS, radium ther. 588j,675p; surg. 590t; ther. 600a
ADENOSINE DEAMINASE, 770o
ADENOSINTRIPHOSPHATES, 786i
ADNEXA UTERI, inflamm. ther. 738c
ADRENAL GLAND, cortex 576-1,576n,576u,685s, 750p,751v; dis. 578e; eff. of anoxia 691v; function test 752e; hemorrh. 612o; infarct. 779t; insuff. 671t; physiol. 576v,577w,578b,578d,578f, 578h,612c,751k; transplant. 654u; tumor 575o, 726h,756s
ADRENAL HORMONES AND PREPARATIONS, 565a,595a,612g,625w,685s,703n; antagonist 786r; eff. 576o,577v,585i,688q,762c; intracutaneous 741k; intravenous 748k; ther. 578i,685s,768m
ADRENOCHROME, ther. 584v
ADRENOCORTICOTROPIN, 578b,752b
ADRENOGENITAL SYNDROME, 576a
AEROSOLS, 602p,610r,612n,612u,674h,698v,699a; in mineral water 699a; prod. 700-1; ther. 602o, 602q,602r
AEROSPORIN, 757e
AGAR-AGAR, 627g
AGGLUTININS AND AGGLUTINATION, 585t,747p, 786t; auto 598f; cold 752u
AGNOSIA, alexia 695w
AGRANULOCYTOSIS, 596m; ther. 608q
AIR, bact. 623t,636o; dust determ. 789s; eff. 681o; fungi content 561f; intraspinal 747j; pollution 705s,705t,705u; pressure 686n
AIR AND FOOD PASSAGES, cancer 725v
ALBINISM, compl. & seq. 652h
ALBUMIN, pharm. 749p; ther. 670d
ALBUMINURIA, 607i,750r
ALCOHOLISM, 659k,694w,696a; France 665o; hypnother. 630h; international congresses 655-1 Switzerland 630i,655-1,655m,655n; ther. 630h, 764n
ALCOHOLS, 641w; dextrose solution 783h; ethyl 703a; isopropyl, tox. 688r; methyl, in virology 770p; physiol. eff. 606u; polyhydric 657q; ther. 665v
ALKALOIDS, 562-1; colchicine exper. 658v; conessine 661a; solanaceous 627b
ALKALOSIS, 677i
ALLACHESTHESIA, 773t
ALLERGY AND ANAPHYLAXIS, 590f,596p,607u, 624t,687-1,693b,693f,698c,768m,772j,773a
ALLERGY AND ANAPHYLAXIS, 590f,596p,607u, 624t,687-1,693f,698c,768m,772j,773a,786s; abdominal 671c,761s; blood in 602k; dermatol. asp. 666i; diag. 561e; exper. 642-1; fatal 665j; food 583b; in autointoxication 749e; Japan 641f; juniper tree 721k; mechanism 785s; nonreaginic 721j; ophthalm. asp. 777i; otorhinolaryng. asp. 778e,778r,778s; pathogen. 721e; penicillin 671i; psychosom. asp. 775v; sensitization 721e; serum & vaccine 615v,687m,721k; ther. 641d,641f,673f, 679f
ALLOSOMES, 737-1
ALLOXAN, 580-1; eff. 654b,654c,654g; ther. 563q
ALOPECIA, 601i
ALTITUDE, eff. 698a,723g,723h,723n,725d; exper. 723g
ALUMINUM AND COMPOUNDS, 737d; inj. eff. 601t; ther. 798t,799f
ALZHEIMER'S DISEASE, 616u
AMEBIASIS, 714o; epidemiol. 714o; hepatic 603n, 685u; in child. 782o; Palestine 670j; serodiag. 661u; surg. 714p; ther. 714p,750t; vaginal 583p
AMENORRHEA, 612i,699j; etiol. & pathogen. 591f; ther. 584k
AMERICAN ACADEMY OF GENERAL PRACTICE, 688s
AMERICAN MEDICAL ASSOCIATION, 758a,758b
AMIDINE, colorimetry 771r
AMIDONE, isomers 565b
AMINES, eff. 697o
AMINO ACIDS, 602m; admin. & dos. 749q; chem. 582h; determ. 656d; eff. 750c; in blood 701d; intravenous 754r; ther. 751s,780w; tolerance 604c
p-AMINOBENZOATE, monoglyceryl 573n
AMMONIA AND COMPOUNDS, 565n,595a,649g; in sea water 563c; trimethyl, pharm. 581o
AMPUTATION, 562i; pain 664e,683b; postop. pathol. 614g
AMYLOIDOSIS, diag. 602g; pulmonary 710q
ANALGESIA, continuous caudal 763o; in dent. 572b; in midwifery 664d; in obst. 658f; mucous membranes 650k
ANALGESICS, 581a,765c

ANAPLASMOSIS, 715g
ANASTOMOSIS, arteriovenous 662f; tech. 710q
ANATOMY, hist. 587r,666r,666t; illustrations, hist. 666u
ANDROGENS, eff. 577b,577t,702o; endogenous production 576a; luteoid activity 740v; metab. 658g; ther. 575w,576f
ANEMIA, 658s,750o; aplastic 574h,664k,741-l, 780j; cerebral 761m; classification 590e; eff. 754-l; etiol. & pathogen. 688k,714n; hemolytic 592t,598f,686r,752u; in Brazil 670v; in Fiji 637q; in child. 682t; macrocytic 607l,753k; microcytic 659f; myelophthisic 615q; sickle cell 624r; skin manifestations 623d; splenic 745g; ther. 590e,771g,778i; tox. 686r
ANEMIA PERNICIOUS 574m,594o,655u,741o; erythrocytes 756a; in child. 623s; ther. 585g,592n
ANESTHESIA, 609m,650k,708t,722r,722s,770w; accidents 650f,779j; amytal 661i; appar. 723c; balanced 607f,650i; caudal 664p; choice 595t; circulatory asp. 726q,726r; compl. & seq. 561t, 641p,641q,723a,743k,795m; curare 596k,669j, 680p,741w; dept. 739s; endobronchial 722v; endotracheal 561u,604m; ether 641n; for abdominal surg. 641m,678h; for chest surg. 664o; for oral surg. 572u,650g,650j,650-l; for. thoracoplasty 638d; general 561t,--exper. 700j; Gt. Brit. 722q; hist. 600u,650e; in cardiovascular dis. 757v; in child. 570u,641p,684h; in dent. 648-l,648n,648p,648q,650h,650i,650k; in gyn. & obst. 583c; in obst. 658f; local 789m; metadon 588s; nitrous oxide 621u,650j,722a; novocain 636p; pentothal 561v,641o,648n,708p; peridural 605g,635h; pontocaine 771e; procaine 641-l, 641o; psychol. asp. 795h; refrigeration 695o; regional 722t; spinal 589h,604n,641q,688q,709r, 722w,723a,723b,726q,773i; teaching 561t; thiopentone 561u
ANESTHETICS, LOCAL, 626v,626w,641m,650f, 700r; tox. 732a,778j
ANEURYSM, aortic 633h,663c,666o,747b; arteriovenous 636q,667j,711i,767w; cardiac 600s; cerebral 617s,767w; facial 572k; iliac int. 766a; surg. 711i; syphilitic 726t
ANGINA PECTORIS, 644g,665f; anoxemia test 726o; in pancreatic dis. 605a; in women 644f; radiother. 601a
ANGUILLULIASIS, 724d
ANHYDRASE, CArbonic 740u
ANKLE, bandage 736r; fract. 685e,793p
ANOPHELES, 713o,791s; control 713s,714c; exotic parasites 713q; in Portugal 713r
ANOREXIA, compl. & seq. 649e
ANTHRACOSIS, 739w
ANTHROPOLOGY, 562f,617r; biotypology 642h
ANTHROPOMETRY, 660f
ANTIBIOSIS, 566m
ANTIBIOTICS, 574s,580k,676h,739k,757e,761o, 783f; in surg. 603s; ther. 607n,712o
ANTIGENS AND ANTIBODIES, 563s,587p,641g, 661u,668i,673c,705f,705h,705i,718k,743s,755a; chem. 582f; endocrine asp. 576r, Forssman's 611i; in infancy 624m; paramecia 724j; saliva 741t; yeast phase 574e
ANTIPYRINE, 791v
ANTISEPTICS, 625o, surg. 606v
ANUS, 667p; atresia 782r, fissure 734r; surg. 684d,709a,726a,794j; tumor 684f
ANXIETY, eff. 788e; psychoanal. asp. 617k; psychosom. asp. 684o; ther. 590t
AORTA, abnorm. 604w; calcification 613i,643s; coarctation 567o,683k,683-l,683m,683n,683p,683q, 684a,691a,746j,756n,792s; elasticity 703c, embolism 726v; isthmus atresia 780t; media, inflamm. 780t; roent. 683n,800c; rupture 623e; surg. 683p,683q,746r; vascular rings 727c
APHAKIA, 768p
APHASIA, traum. 774q
APPARATUS, 792b,792c; Beckmann's 791w; expanding rubber rings 737g; protective hood 737f; restraining clamps 736u
APPENDECTOMY, perforation syndrome 691h
APPENDICITIS, 630e,630p,635s; chronic 678n; diag. 682p; in gen. pract. 683b; in Palestine 749-l
APPENDIX, allergic dis. 671c; carcinoid 747a
APPETITE, 704b
AQUEOUS HUMOR, 595h; pathol. roent. 768e
ARACHNITIS, 695j
ARACHNOIDISM, 677q
ARALEN, ther. 668f
ARGININE, 785v
ARGYRIA, exper. 780d
ARM, dystrophy 589-l; Perthes' plast. 951s
ARRYTHMIA, 644b; auric. fibrillation 726s; auric. flutter 589t,726s; ventricular flutter 644c
ARSENIC AND COMPOUNDS, 668w; determ. 792a; ther. 684-l; tox. 597p,597s,643n,681h,700t,792b
ART, in med. 676p,767q; psychiatric asp. 617c
ARTERIES, abnorm. 727c; carotid, wounds 708q; cerebral 692v,741g; femoral 635g; inflamm. 593e; oblit. 600o; retinal occl. 777j; surg. 710j; transpos. 603i
ARTERIOGRAPHY, 690i,707j
ARTERIOSCLEROSIS, 665e,687e; compl. & seq. 573c,600w
ARTERITIS, syphilitic 734p; temporal 601e,644g
ARTHRITIS, blennorrhagic 674t; chronic 690q; climatic asp. 616f; roent. 666h; ther. 666h,677m; urica 632m
ARTHRITIS, RHEUMATOID, blood in 616i; diag. 616g; pathol. 616d; ther. 760v
ARTHROPODS, control 716a
ASCARIASIS, 592s,789m,795c
ASCHHEIM ZONDEK TEST, 584j
ASCITES, 637a,661k,762g; etiol. & pathogen. 602u; tumor cells 738o
ASPHYXIA, compl. & seq. 782j
ASTHENIA, neurocirculatory 756k,765-l
ASTHMA, 615g,673t,721j,762n,764q,775v; etiol. & pathogen. 601m; exper. 751m; in child. 782m; surg. 634w; ther. 588q,589m,612t,667s,670k,670u, 745v,764k
ASTIGMATISM, 777o
ATABRINE, ther. 757d; tox. 715d,757i
ATELECTASIS, 610j,624f,624g,661i,670n; compl. & seq. 765o
ATHEROSCLEROSIS, coronary 754t
ATHLETICS, 630i,706k; in school 706-l; wds. & inj. 611n
ATOMIC ENERGY, 674e; explosion 614s,615e, 682e; med. asp. 657g,784n
ATROPINE, ther. 754j
AUTOPSY, legal asp. 601n
AVIATION MEDICINE, 641u,642a,642c,686n,723j, 723m,723p,723r,787e,787s; acceleration 594c, 614o,723j,723m; accidents 723g; hygiene 723-l, 723s; physiol. 642c; tests 614m,614o; vertigo 641v
BACITRACIN, oral 565m; ther. 565t
BACKACHE, 593-l,666v,745n; ther. 748f
BACTEREMIA, hemolytic 681q; meningococcal 662i
BACTERIA, 623a,623d; aerobic 581p,740j; anaerobic 653m; botulinus 588c; determ. quant. 620c; enteric 754q; filter 702h; filtrates 616r; hemolytic streptococci 782e; hermophilus influenzae 745c; Klebsiella pneum. 748m; lysis 580u; penicillin resist. 738i; perfringens 658h; proteus vulgaris 745h; pyocyaneus 589q,696g; typhosus 665v

BACTERICIDES, eff. 622v
BACTERIOLOGY, Austria 597d; research inst. 580v
BACTERIOPHAGE, 615-1,628q,668i; roent. 628t
BACTERIOSTATICS, mercurochrome 594u
BAGASSOSIS, etiol. & pathogen. 740j
BAL, 680v,766o; ther. 589d,599p,716i,762c
BALANTIDIUM, coli 596b
BALLISTOCARDIOGRAPH, 751b
BARBITURATES, 627q,696a; in child. 625-1; narcosis 657d; smooth muscle 564n; tox. 670w
BATHS, Tiberias 670h
BED BUG, 790e
BEHAVIOR, 608t,787u,788b; dis. 782j; heredity 704h; in child. 676w,692k
BENADRYL, determ. 641h; eff. 652c; tox. 589s
BENZEDRINE, 561v,579m,702v,770m
BENZENE, tox. 660h,680i,767f,780j
BENZIMIDAZOLE, 766v
BERYLLIUM AND COMPOUNDS, tox. 740i,798s
BEZOAR, duodenal 709j
BILE, bromine in 769u; physiol. 703-1; pigment 613f,796j
BILE DUCTS calculi 663e; diet ther. 746i; surg. 710d,711e,794w
BILIARY TRACT, dis. 575c,690b,742r,772c; obst. 711e
BILIRUBINEMIA, 606-1
BIOLOGY, 611r
BIOMETRY, 642-1,642m
BIOPSY, indic. 663m
BIOTIN, pharm. asp. 701a
BIRDS, parasites 724b
BIRTH CONTROL, 676t; appar. 736w
BISMUTH AND COMPOUNDS, 626o; ther. 734q, 771c;'Win-1011' 750t
BLADDER, abnorm. 795f; anat. & histol. 638q; calculi 664-1; dis. 664m,--in child. 744o; diverticula 638t,639f,639g; dysfunction 694a; extrophy 758w,598-1,--in labor 670b; pharm. asp. 799w; prolapse 583f; roent. eff. 792g; surg. 615s,717t, 717u,795f,799r; tumor 639a,639c,676r,717s,717t
BLASTOMATOSIS, estrogenous 687p
BLASTOMYCOSIS, S. American 671e,715c
BLINDNESS, 621e,704v; hysterical 696k; in child. 604r,695j; prev. 590d; rehab. 704e; services 621f,621g
BLOOD, 581r; absorption 703a; atabrine 574h; calcium 576d,624j,662k; cholesterol 654p; CO_2 transport 786b; count 592m,625e,764i; dialysis 683t; diastase 664h,768b; dis. 595u,611t,734a, 763u,799r,--traum. medico-legal asp. 585t; exam 585p,681j,772n,779q; exper. 658v; form. 597i, 659d,769q; galactose 624n; glucoronidase 583h; hormones 657j,663i; in infection 663h; iodine 577c; lipase 653j,664h; lipoids 611p; minerals 785n; p-aminobenzoic acid 624q; parasites 714q; penicillin 596o; pH determ. 574q; polymyxin 564g; proteins 577c,578k,636-1,670c; proteolysis 670d; prothrombin 611e,662g,686t; sedimentation 592h,602k,700d,770a; serum 750m; viscosity 754-1; volume 654j,769h; urea 574k
BLOOD, CIRCULATION, 593t,594e,630f; cerebral 753o; dis. 606f,753m; failure 735d; megakaryocytes 739-1; periph. 683n,756c; pulmonary 751w; time 574u; venous 755q
BLOOD COAGULATION, 564s,571e,611p,611q,686t, 753f; antagonists 564f,749u,766c,769k
BLOOD GROUPS, 585t,672r; Basque 581e; Netherlands 605f,681i; research 672p; Rh factor 561g, 595v,600d,603d,611j,614w,624r,662v,664r,683g, 683h,691q,706p,738h,738-1,743g,743h,767j,779n
BLOOD PRESSURE, 644j,701b,744k,753a,756n, 767k,769j,785e,786h; appar. 736n; eff. on brain 750g; exper. 700k; in drugs 683p; normal 679-1; pulmonary 662j,753c; regulators 751d
BLOOD PRESSURE, HIGH, 564a,564b,567o,644j, 661o,726r,743b,743u,746d,749c,750k,753o,754u, 755c,755v,757b,771f; compl. 661r; diet. 607q, 608j; exper. 702r, in child. 744p,785u; physiol. 726q; pressor principle 703h,755k; syphilitic 644h; ther. 588k,675h,687s,735d,752i,755r
BLOOD PRESSURE, LOW, orthostatic 753f
BLOOD SUGAR, 703s; defic. 662k,745p,746o,785m; excess 702w,744u; ocular refraction 563q
BLOOD TRANSFUSION, 585r,593m,699q,701b, 744k,748d,756o,772b; banks 614k,614-1,659s; eff. 603a,662g,766i; erythrocytal 667k; exper. 764g; inj. eff. 611i,722p,747i; storage eff. 562m; Switzerland 586h; total replacement 764a
BLOOD VESSELS, 694q; dis. 614e,635b,793u; innervation 561n; lesions 780g; occlusion 797k; oxygen-tension 785o; pituitary rel. 579m; sclerosis 742h
BOECK'S SARCOID, simul. 575k
BONE, abnorm. 768-1,782a; calcification 662d; develop. & growth 564c,576s,624b,624c,722g; dis. 605c,683h,685j,760h; dystrophy 608e; epiphysis 655i; fibrous dysplasia 570h; fragility 600b,613r,685j,669i,797h; granuloma 570j,666n; healing 570g; hormonal dis. 607k; hypertrophy 781i; necrosis 764m; physiol. 598j,759h; surg. 562i,590m,595b,692a,733m; tuberculosis 596r, 604-1,638h; tumor 772m,796r,--simul. 793r; wds. & inj. 683h,710r
BONE, MARROW, 658v,753k; aplasia 741-1; aspiration 595g; atabrine 574h; culture 739j; erythrophagocytosis 565j; leukocytes 587m; physiol. 598j; tumor 762f
BOTULISM, 607c; New Mexico 623u
BRAIN, abscess 622d,622-1,622s,748g,762t,778f; 794t; blood flow 750f,750g,750i,750j,750k; blood vessels dis. 774f; calcification 588m; corpus callosum agenasis 613j; cortex 704i,765p; cyst 611c,685p; cysticercosis 599m; dermoid 622q; develop. 628i; diencephalon 617t; dis. 618c, 618-1,688i; electrodysfunction 662k; ependymona 694e,781d,781e; frontal lobes, physiol. 751j; function 743m; hemorrh. 588u; infect. 694p; metab. 750g; metastatic abscess 693w; obstruction 694c; physiol. 681m,800k,--exper. 703p; stem, dis. 690q; surg. 694b,709-1,765p,--appar. 693w; thoracogenic abscess 599d; tumor 622j, 624d,656a,663c,667s,693e,693v,694b,694q,709-1, 742q,747p,770c,774g,774i,774m,777w,781c,781g; ventricles, rupture 693s; wds. & inj. 614f,622s, 693f,694d,694p,755w,795j
BREAST, 587w; abnorm. 695q; agenesis 599w; develop. 741d; dis. 711o; hemorrh. 635n; hypertrophy 706h,--in males 668v; inflamm. cystic 578r,793s; mamilla, tumor 759d; plastic surg. 794-1; supernumerary nipples 599a; tumor 725p,725q,772i
BREAST, CANCER, 566j,566v,566w,576f,578r,635d, 636i,672n,759e,766f,749i; endocrine asp. 793i; genetic asp. 664m,664n; ther. 598u,747h,792o
BRILL-SYMMER'S DISEASE, radiother. 594r
BROAD LIGAMENT, sarcoma 738b
BRODIE'S ABSCESS, 604-1
BROMOTHEN, 721m
BROMSULFALEIN TEST, 661s
BRONCHI, cancer 566n,597g,633j,633k,664p; dis. 610j; for. bod. 779f; obstr. 596-1; physiol. 632v, 697q; ther. inj. eff. 600r; tuberculosis 591-1, 685-1; tumor 566a,591n
BRONCHIECTASIS, ther. 606i,666o
BRONCHITIS, etiol. & pathogen. 772f
BRONCHOESOPHAGOLOGY, teaching 746k
BRONCHOGRAPHY, 663p,685o,799b
BRONCHOPNEUMONIA, 699s

BRONCHOSCOPY, 663p,709r,762m,767b; indic. 660n; magnetism 778u
BRONCHOSPIROMETRY, 602e
BROWN-SEQUARD SYNDROME, 660s
BRUCELLA, antigens 587i
BRUGSCH'S SYNDROME, 759h
BURNS, 631v,683h,700d; anemia in 794j; sun 723j, 765b; ther. 605h,664s,676g,723r,795e
BURSITIS, subdeltoid 676-1
BUTTER, nutrit. asp. 763r
CAFFEINE, prop. 641w
CALCEMIA, 623g
CALCIFEROL, eff. 759b; tox. 652j
CALCINOSIS, 576d
CALCIUM AND COMPOUNDS, chloride 611p; determ. in serum 574t; eff. 572n,751n; metab. 624b,689e, 771v,786j; ther. 597m,768q
CALOMEL, etymology 701w
CAMPHOSULFONATES, 700n
CANCER, 566e,571b,571e,597v,607e,635m,677o,685j, 691n,708n,770e,795w,799r,800e; adenopathy 567a; antagonists 726d; atomic energy 676j; bladder 717t,717u; bone 772m; breast 749i; bronchi 664p; bronchiogenic 633k,633-1,709r,709w; cells 695i, 769c; cervix uteri 634s,726k; colon 666p,726-1, 772d; compl. & seq. 688k,725v,759e; control 593v, 613n,629o,673f,726j,742q; cytodiag. 653m,676d, 677b; diag. 588h,597w,614c,630-1,681u,725v,760a; duodenum 636w; electrosurg. 635o; epidemiol. & statist. 566q,567d,716r; epithelioma 717-1; erysipelatous 598c; etiol. & pathogen. 567e,635g,726a, 726g,759w; exper. 566k,566-1,573v,657g,672n, 675-1,725n,725s; geriatric asp. 593q; gynecol. asp. 584-1,766e,769b; hered. 598s,664m,768w; hormone rel. 768w,770q; hypernephroid 725t; inoperable 792r; larynx 697u; life expectancy 799u; lung 633d,633g,707o; metastases 566v,566w,597q, 604f,610i,644c,725w,766f; mouth 726k; pancreas 633d,662j; pathol. 756v; pre. & postop. care 795r; prostate 638s,638v; research 595p,618t; resist. 687p; rib 739a; social asp. 660e,771h; stomach 615q,637c,661j,666p,667f,726j,752p; surg. 567h, 726a,726e; syndromes 779d; ther. 566i,605m,605o, 606d,606f,635d,726g,747j,766e; thyroid 577b; trachea 698f; uterus 744c
CANDIDA ALBICANS, gluteal erythema 596m
CANTHARIDIN, tox. 641e
CAPILLARIES, 598k; blood flow 769t; fragility 748o; permeability 611q; physiol. 786h
CAPILLAROSCOPY 635b
CARBACHOL, eff. 799w
CARBAMATES, 701-1; ther. 585m
CARDOHYDRATES, 725h; eff. 757-1; metab. 581k, 582k,612a,612b,612e,[illegible]1a,754n,786v
CARBON, radioactive 563k
CARBON DISULFITE, tox. 768n
CARBON MONOXIDE, chem. 580w; determ. 605t; tox. 660g,740p
CARBON TETRACHLORIDE, 586o
CARBONIC ANHYDRASE, 628g,750o
CARBUNCLE, bacterial 761i
CARCINOGENS, 564q,725j
CARDIOSPASM, 754t
CARDIOVASCULAR SYSTEM, anastomosis 689j; at high altitude 723q; dis. 662m,687u,757v,770r; in syncope 601d; physiol. 755p; syphilis 589n
CAROTENE, 600e,619f
CAROTID SINUS, 727a,780s,785-1; syndrome 679o
CASTRATION, eff. 702o
CATARACT, 768g; atopic 696h; extraction 697i,--indic. 768h
CATTLE, epithelial defects 582u; plague, virus 715f; tuberculosis 638b
CAUSALGIA, ulnary 774v
CECUM, volvulus 743d
CELLOIDIN, 653k
CELLOPHANE THERAPY, 726t
CELLS, anat. & histol. 736-1,737n; biochem. 754p; cytoplasmic factor 724g; develop. 780b; dis. 713a; growth 714k; membrane 786j; physiol. 657k,725f; plants 737p,737q
CELLULOSE, in peritoneum 793w
CEREBELLUM, abscess 609d; physiol. 764n,785-1; tumor 693d,774g,781b,781f
CEREBROSPINAL FLUID, 617t,694m; centrifuae 783a; physiol. 785i; pressure 750i
CERVIX UTERI, biopsy 583k; cancer 594w,678a,725w, 726k; chorio-epithelioma 737w; epithelium, atypical 769d; exper. surg. 721s; lacerat. 691r; mesonephric remnants 583e; radiother. compl. 606b; surg. 634s; venereal dis. ther. 651q
CESAREAN SECTION, 584a,588t,604n,606e,658j,665c, 665n,691s,739a; antibiotics in 584q; statist. 583g
CESTODA, 592t,879d
CHANCROID, ther. 589c
CHARCOT-MARIE-TOOTH DISEASE, 762d
CHAULMOOGRA, ester 651m,734n; oil 674u
CHEMISTRY, classification 568f; Germany 783t
CHEMOTHERAPY, 681k,757o; psychosomatic asp. 756m; veterinary 783r
CHEWING GUM, 686p
CHICKENPOX, 605i
CHIGOES, infestation 602-1
CHILBLAINS, 701r
CHILD, abdomen 763s,782s; convalexcent homes 625b; cy t of ovary 658a; dental care 569q,571k; develop. & growth 700f,725a,744o; dis. 790h; eating 619r; emotional develop. 617b; guidance 692o,692p; intestinal invag. 743p; medicine taking 784g; mineral water ther. 760c; nutrition 590b, 664t; physiol. 776f; psychiatry 692n,694u; psychoanal. 617m,617n; psychol. 618n,625a; septicemia, otogenous 778g; thrombophlebitis 727a; urinary calculi 728g; welfare 775g,790g
CHIN, orthop. 571c
CHLOASMA, hepaticum 623d
CHLORIDES, metab. 579h; tox. 604o
CHLOROCRUORIN, chem. 580w
CHLOROMYCETIN, 589r,772o,772t
CHLOROPHYLL, eff. 652f
CHLOROQUINE, 713t
CHLORTHEN, 721m
CHOLECYSTECTOMY, 607o,798h; compl. & seq. 609-1
CHOLECYSTITIS, symptoms 760b
CHOLECYSTOGRAPHY, 793b
CHOLEDOCHOSTOMY, postop. feeding 793h
CHOLEDODUODENOSTOMY, 794v
CHOLELITHIASIS, in Negroes 575h
CHOLEPERITONEUM, exper. 797f
CHOLERA, 757i; compl. & seq. 757e; diff. diag. 757f; immun. 587q,637s; vaccines 712q
CHOLESTEREMIA, hered. 754t
CHOLESTEROL, determ. 598k; fractionation 563-1; injection 563m
CHOLINE AND DERIVATIVES, 669c; eff. 658m; chlorhydrate 685w; defic. 580p; salts 703-1; ther. 614h,671r
CHOLINESTERASE, 565b; activity 565c; antagonist 703j; blood level 649w,677f; pseudo 655v
CHORIOMENINGITIS, lymphocytic 594t
CHOROID, tuberculosis 687d
CHROMATOGRAPHY, 657n
CHROMIUM AND DERIVATIVES, in dentistry 651c
CHROMOGEN, 628r
CHROMOSOMES, 722-1
CHRYSOMELA, 724q
CICATRIX, ulceration 573m
CITRATE, metab. 754m
CITRIC ACID, 750b; in blood 750a

CITRUS FRUIT, juice 619k
CLAUDICATION, intermittent 676u
CLIMATE, eff. 592m; North Africa 600t; ther. 641f, 760c; tropic 637n,712j
CLINIC, University Leipzig 630b
CLOTHING, 740-1
COAL INDUSTRY, dust hazards 663q
COBALT, tox. 655u
COCA, 591v,591w; chem. 592a; in South America 591v; ther. 592a
COCAINE, pharmacol. 592b; ther. 592a
COCCIDIOIDOMYCOSIS, 634o,715c
CODEINE, addiction 589u
COENURUS, 724a
COFFEE, eff. 627j
COITUS, difficult 738f; in pregn. 664b; vaginal injury 590v,712c
COLCHICINE, ther. 566i
COLD, common 674e; eff. 654u; hypersensitivity 755f; ther. 695o
COLIC, enteric 690k
COLITIS, 764r; spastic 678n; ulcerative 665j,684f, 688s,765c,769i; vaccine ther. 575d
COLLAGEN, 581c
COLLAGENOUS TISSUE, staining 721q
COLLOIDS, eff. 561p
COLON, cancer 598a,635m,666p,711a,726-1,772d, 795r; dilat. 593k,794u,--exper. 710r; diverticulitis 707r,745a; gas removal 642b; inflamm. 726-1; lipoma 709f; physiol. 673w; polypi 674b,710v; surg. 665j,710u; tumor 686k; volvulus 709s; wds. & inj. 758s
COLOR PERCEPTION, 581e,628p,697b; tests 697a, 787h
COLORIMETRY, 701n
COLPORRHAPHY, 583j
COLPOSCOPY, 789n
COMMUNICABLE DISEASES, in tropics 712u; mechanism 785s; prev. & control 629-1,629m
COMPLEMENT, fixation 630t
CONDITIONING THERAPY, 629d
CONESSINE, 581a
CONJUNCTIVA, 696d; inflamm. 621d,676q; tumor 620s
CONSTITUTION, 650f,675m; types 649n
CONTACT LENSES, 663h,664w,667k,768f,768o; fitting 777s; tolerance 697f
CONTRACTURE, Dupuytren's 669k,796t; ischemic 796s
CONVALESCENCE, homes 706t,706u,706v,706w; metab. asp. 656h
CONVULSIONS, 750b; compl. & seq. 693p; etiol. 743k
COPPER AND COMPOUNDS, 791v
CORAMINE, eff. 561v
CORNEA, dis. 697j; dystrophy 613k; ulcer 620t,666i, 696g
CORONARY VESSELS, 756g; abnorm. 687w; blood flow 750v,756q; dis. 601e,627j,661r,677m; surg. 757j
CORTICOSTEROIDS, urinary 755v
CORYNANTHINE, 785k
COTTON, Asiatic 737o
COUGH, convulsive, ther. 593n
COZYMASE, eff. 577p
CRANIUM, calcification 671v; defects 693s; osteomyelitis 778h; roent. 602r,694n,697v; surg. 667a, 710m; wds. & inj. 671f
CRAYFISH, nerve supply 785g
CREATIN AND DERIVATIVES, metab. 742j,742k, 742-1
CREATINURIA, 756p
CREMATION, 606s
CRENOLOGY, 671j
CRENOTHERAPY, 596o
CRICKETS, France 724n
CROTON OIL, 670u
CRYOSCOPY, 791w
CULEX, pipiens 791t
CURARE AND DERIVATIVES, 603b,692v,741w,785h
CUSHING'S SYNDROME, 575o,576s
CYANIDES, pharm. 703i; potassium, tox. 748a
CYANOSIS, congen. 699r
CYCLODIATHERMY, 686h
CYSTECTOMY, 639c; total 717u
CYSTICERCUS, 723v
CYSTITIS, 759k
CYSTOGRAPHY, 792j
CYSTOSCOPY, 638q
CYSTS, dermoid 597h; serous 738s; ther. 733-1
CYTOCHROME, 760p
DACRYOCYSTITIS, infants 695t
DANLOS SYNDROME, 652v
DATURA, ferox 627b
DDT, 631-1,716h,759p,791-1; Africa 798m
DEAF, care 762i
DEAFNESS, 621i,621k; etiol. & pathogen. 621n, 762m; in child. 762m
DEATH, impending 606r; medico.legal asp. 606s; postop. 677u; unexpected 681r
DECIDUA, anat. & histol. 561m
DEFICIENCY DISEASES, 765f; American tropics 714w; China 714u; India 714u; S. Africa 714v; S. E. Asia 714u
11-DEHYDROCORTICOSTERONE, 578c
DEHYDROERGOTAMINE, ther. 686w
DEHYDROISOANDROSTERONE, determ. 579b,579g
DELINQUENCY, 617f; female, rehab. 677p
DELIRIUM TREMENS, 770e
DELVINAL SODIUM, 722u
DEMENTIA PARALYTICA, 773q
DENGUE FEVER, 713h
DENTAL CARIES, 569r,571p,571q,594q,650r,650w, 731j,733r,733w,757a; prev. & control 572s,620k, 705w,731s,731v,733u; roent. 651c
DENTAL HEALTH, in pregn. 650c; insurance plan 732p
DENTAL SERVICE, in schools 648b
DENTISTRY, 731w; Czechoslovakia 732s; educ. 570p; equipment 706q; hist. 572q; materials 572m,647s,648u,650v,731g,733u; progress 649a; psychol. asp. 648h,731u; psychosomatic asp. 731n; research 791i; Spain 731a; therapeutics 648u; welfare plan 649q
DERMATITIS, 652g; arsphenamine 597p,597s; bullosa 671w; eczematous 721-1; etiol. & pathogen. 715d; exfoliative 651r,690t; herpet. formes 597t,639i; in dogs 640d; in nurses 664i; resins 660b; toxic 689f
DERMATOLOGY, 601h,639j; biopsy 604j; diag. 573q,675o; ther. 678v
DERMATOMYOSITIS, in child. 699m
DERMATOPHYTOSIS, 652a
DERMATOSIS, nevoid 575v; occup. 664t; ther. 721i; white spot disease 674-1
DESOXYCORTICOSTERONE, eff. 578f,702r,--on blood pressure 574-1; ther. 578a
DESOXYPYRIDOXINE, 705k; eff. on reproduction 563u
DESOXYRIBONUCLEIC ACID, estimation 785h
DETERGENTS, synthetic 784v
DEXTROSE, metab. 701e
DIABETES, 654e,661o,673t,690j,750i,750-1,751a; alloxan 786w; coma in 590q,743n; compl. 680f; compl. & seq. 590p,750j; diag. 579i,654e; electrolytes in 579j; estrogens 679e; etiol. & pathogen 654g; exper. 565e,580-1,654b,654c,654g; heart in 587u; in child. 605d,624o; in pregn. 577i,620p,738w; insipidus 654e,698k,767k; insulin requirements 677j; malarial 675v; marital

asp. 654e; maternal 753u; neurol. asp. 762d; pancreatic 710h; pathol. 654d; progn. 654e; radiother. 660w; statist. Dist. Columbia 653t; surg. 603s,654f,708-l; ther. 589o,602s,602t; vascular asp. 754-l
DIALYSIS, 642u,683s
DIAMIDINE, ther. 716i
DIAPHRAGM, lymph vessels 721u; postop. movement 599b; relaxatio 773a; roent. 597e
DIARRHEA, in adult 675f
DIATHERMY, 696b
DIBENZANTHRACENE, eff. 582p
DICUMAROL, 613g; antagonists 753h; ther. 573k, 602v,605e
DIET, 619c; adequate 648e,648s; vegetable 689s, 689t
DIGESTIVE SYSTEM, cancer 597w; dis. 602h; exper. 710r; lichen planus 735a
DIGITALIS AND PREPARATIONS, eff. 741m; exper. 601c; pharm. 752k; tox. 767g
DINITROPHENOL, 689h
DIOPTERIN, 701i
DIPHTHERIA, 700c; antitoxin 623m; corynebact. 705b,779b; epidem. & statist. 790d; immun. 671u; ther. 623g; vaccination, compl. 781v
DISABILITY, 629u; insurance 580g,696q; legislation 739u; rehab. 616n
DISEASES, animal and man 792p; chronic 586-l, 659p,679t,686n; prev. & control 610r; Sweden 769n; systemic 691m
DISINFECTION AND DISINFECTANTS, 607d,625n 681j
DISTOMIASIS, pulmonary 661f
DITHIOPROPANOL, ther. 604o
DIURESIS AND DIURETICS, 579a,583d,751b,752f; mercurial 662h,679w,756i
DOUGLAS' POUCH, surg. 657u
DRAWINGS, child. 617n; test 704w
DREAMS, hypnagogic phantasies asp. 789e; psychol. asp. 789f
DROPSY, ther. 781s
DROSOPHILA, genetics 737m
DRUGS, eff. 696d,698u; galenic 701o; nomenclature 599t; sclerotizing 697o,768c; sources 784h; sympatholytic 766v; sympathomimetic 627v; sympathotropic 765i; taxes, Germany 626i; ther. 798c; tissue repair 649s; tolerance 702g; tox. 653q,675r
DUCTUS ARTERIOSUS, 686b,764p,779v
DUMPING SYNDROME, 754j
DUODENUM, cancer 603v,636w; cyst, in child. 709b; dis. 587v,608b; inflamm. 574w,575a; intubation 634b,710i; irrigation 690b; spleen relation 610o; stenosis 681b
DURA MATER, surg. plast. 747-l
DUST, determ. 740h,789s; exper. 722b; radioactive 740h
DYSENTERY, amebic 757d; bacilli 622w,712q; compl. & seq. 715a; diag. 669p; Japanese prison camps 653v; saliva 741t
DYSOSTOSIS, endochondralis 624g
DYSPAREUNIA, etiol. 738n
DYSPEPSIA, 684p
DYSPHAGIA, in tuberculosis 761g
DYSPNEA, 751c; paroxysmal 561i
DYSTOCIA, 600q
DYSTONIA, ther. 618k
DYSTROPHY, muscular 617v
EAR, communicable dis. 621m; dis. 596n,621w,622s, 762s,778w,--in child. 778g; infect. 652m,763b; inflamm. 622c; internal 604t,669u,694j,698c,762q; lichen planus 735a; middle 622j,--air pressure 698a; plug 737a; surg. 622a,622f,622g,749e,--appar. 698f; transpl. 721r; tumor 622-l,779i
EATING, 619r; excess 776p; habits 740c
ECHINOCOCCOSIS, 590g,604g,660v,667r,685p,748f
ECLAMPSIA, 584g,592v,670d,772s
ECTROPION, ther. 794i
ECZEMA, 674m; etiol. & pathogen. 632o,652o,676c; occup. 651o; prev. 636d; surg. 795h
EDEMA, 754i; angioneurotic 675f; etiol. & pathogen. 593e,752f; periglandular 700c; ther. 794e
EFFORT, exper. 704i
EGO, 692i
ELBOW, capsulectomy 795q; fract. 707w; surg. 612j
ELECTRICITY, accidents 690q; appar. 690-l; eff. 786g; inj. eff. 709n
ELECTROCARDIOGRAPHY, 563w,567n,567o,578f, 587u,592p,601b,605a,610h,663b,679m,687r,698n, 726w,752-l,762k,772c; eff. of mercury 662h; electrode jelly 701w; in polyneuritis 762k; infarct. 567p; precordial 752o; tech. 644g; T wave 644a; unipolar leads 679g
ELECTROENCEPHALOGRAPHY, 677v,684s,687h, 694m,741b,743m,743t,747p,773n,774f,774m,785e; theoretical asp. 785m
ELECTROENDOCARDIOGRAPHY, 580q
ELECTROKYMOGRAPHY, 753m
ELECTROLYTES, 749n,755i; in sweat 751k; metab. 578i
ELECTROMYOGRAPHY, 774j,774k
ELECTRONARCOSIS, ther. 773m
ELECTRONICS, 656-l
ELECTROTHERAPY, 644k; appar. 737d,737e; in dent. 572r
ELEMENTS, synthetic 579s
ELEPHANTIASIS, 759s
ELEUDRON, inj. eff. 760s
EMBALMING, 601n,606s
EMBOLISM, 600p; fat 583n,710r; postop. 674g; pulmonary 635-l,684-l; ther. 589b; venous 679k
EMBRYOLOGY, comp. 561q,722m,724w; exper. 722i, 725e; pathogen. asp. 635k
EMETINE, eff. 565d
EMOTIONS, 631e,798g
EMPHYSEMA, 633b; mediastinal 758e; pulmonary 613c
EMPYEMA, 748n; ther. 615m,711-l
ENCEPHALITIS, 615v; compl. 765k; post-measles 699q
ENCEPHALOGRAPHY, 613j
ENCEPHALOMYELITIS, exper. 693f,693b; isoallergic 565g; M M virus, immun. 705j
ENDAMOEBA, histolytica 678d
ENDOCARDITIS, bacterial 595-l; infectious 592p, 609j; lenta 609k,760d; penicillin metab. 661h; streptococcal 665u; subacute 772-l; ther. 608n, 669r
ENDOCRINE GLANDS, 576i,694m,749b; dis. 575u, 601w,780q; in child. 601w; skeletal asp. 607k; urol. asp. 800f
ENDOCRINE PREPARATIONS, 561e; nomenclature & admin. 627i
ENDOMETRIOSIS, compl. & seq. 588m; rectosigmoid 748v,796d
ENDOMETRIUM, anat. & histol. 578w; biopsy 615c; physiol. 770u; tuberculosis 591f,603r
ENDOSCOPY, peritoneal 748n; peroral 621p
ENDOTOXINS, 754q
ENERGY, 740r
ENTERITIS, necroticans 629s; regional 709t,764p
ENTEROGASTRONE, 793v
ENURESIS, ther. 690v
ENZYMES, 695f; digestive 689s; in tumor 582i; proteolytic 657k
EOSINOPHILIA, 625f,685q; tropical 781o
EPHEDRINE, eff. 701e
EPIDERMOLYSIS BULLOSA, 797a
EPIGLOTTIS, cyst 622j

EPILEPSY, 617f,665a,694-l; compl. & seq. 782k; diag. 741h; in child. 687h; jacksonian 703q; myoclonus 618k; surg. 635c; ther. 614i,668d,681v, 682e,692t,701f,745t,747j,766s
EPILEPTICS, psychol. asp. 617g; marriage 677v
EPISTAXIS, Trotter's ther. 599o
EPITHELIUM, defects 582u; in vitro 736i; tumor multiple 597s
EPITHELIZATION TIME, 795t
EQUILIBRIUM, dysfunction 762q
ERGOT AND PREPARATIONS, 652t,678q; tox. 767e
ERYTHEMA, 573s; etiol. & pathogen. 680-l; induratum 759e; multiforme 624v,651n,680e,782e; ninth-day 681h; nodosum 781m; premycosic 674o
ERYTHREDEMA POLYNEUROPATHY, 748-l
ERYTHREMIA, physiol. 754b
ERYTHROBLASTOSIS, FETAL, 591b,600d,611j,624r, 738-l,743i,764a,764r
ERYTHROCYTES, 660v;abnorm. 750u; chem. 628s, 756a; electrokinetic change 565k; hemolysis 754w; volume 703e
ERYTHRODERMA, 573s; congenital 652p
ERYTHROMELIA, 674s
ESOPHAGOGASTROSTOMY, 710a
ESOPHAGUS, abnorm. 624k,680j,762a; abscess 622d; atresia 688k; cancer 603j,678-l,685h,710a; dis. 762u,778s; diverticula 632o,681p; for. bod. 621v, 636r; motility 754t; perf. 599n; spasm, in child. 700g; stric. 709q,709u; surg. 681q,681r,709u,710b, 711d,771k,795c; tumor 710h
ESTERS, nitrate 748o
ESTROGENS, 564o,654q,741a; determ. 575t; eff. 577r,578p,578r,591k,654-l,655f; exper. 699h; in diabetes 679e; in horse 577o; in urine 577o; inactivation 577o,577p,577q; ther. 576f,605m,605o, 614g,663s,709k
ESTRUS, exper. 770m
ETHYL CHLORIDE, 570u
EUSTACHIAN TUBE, obstr. 697r
EUTHANASIA, 606t
EXERCISE, ther. 588w,797v
EXOPHTHALMOS, 684a,762p
EXTRAPYRAMIDAL TRACT, dis. 747q,774h,--in child. 765g
EXTREMITIES, abnorm. 703p; infect. 795r; oxygen tension 754o; surg. 771e; wds. & inj. 708s
EXUDATES AND TRANSUDATES, 739m; amino acids in 602m
EYE, abnorm. 582v; accom. & refract. 696p,777f, 777p,788a; anat. illustr. 666u; artificial 696e; atrophy 758i; calcium ther. 768q; defect. 615n; diag. signific. 674k,698q; dis. 593w,621a,663g, 664w,761k,776h; geriatric asp. 697g; inflamm. 768f; movements 581d,591b; optical elements 777q; paralysis 593a,696r; pathol. 777h; physiol. 777u,787e; psychol. asp. 763k; surg. 691o,696-l, 796u; tension, pharm. 768e; ther. 768p,768q; tissue 653k; transpl. 737m; wds. & inj. 696s, 768b,768s
EYELID, ptosis 589i; spasm, ther. 768j; surg. 796u, 796v; xanthelasma 665e
FACE, anat. 731h; bones 648f;--fract. 698h; cancer 777g; dent. asp. 649o; dis. 570-l; folliculitis 651v; surg. 570i,778k; tumor 607n
FALLOPIAN TUBE, insufflation 657w; roent. 657w, 738m; sulfonamide ther. 583v; surg. 584k,688i, 738p; tuberculosis 603r,738a; tumor 597k,680i, 780i
FALLOT'S TETRALOGY, 711v,747v,766c
FASCIOLIASIS, 594a,594d,668p
FASTING, 787u
FAT, animal 786o; determ. 626n; digestion 589j; metab. 572n,578c,579-l,643n,702w,746s; necrosis 669g; physiol. 598e
FATIGUE, in child. 596n
FAVUS, 597s
FECES, exam. 772s
FEMUR, dis. 624h; fract. 587v,672d,672h,684i,685g, 759b; neck fract. 605r,636b,636c; surg. 614g, 634i,680r; trochanter minor 691g
FENESTRATION, 621-l,622o,622q,762v; indic. 697v; results 673f,778p
FERTILITY, exper. 563e
FETAL MEMBRANES, premature rupt. 583t,765j
FETUS, feeding intragastric 564p; placenta weight rel. 770n; sex. 577n; tumor 699m
FEVER, relapsing,California 715t
FEVER THERAPY, 573i,672i,797m; resist. 674t
FIBRINOLYSIS, 755c
FIBROSIS, 755e
FIBROSITIS, 616h,743c; dolorosa 613d; ther. 671r
FIBULA, abnorm. 782a
FILARIASIS, 708o,714h,743p; eosinophilia in 779r
FILTRATION, hist. 701r
FINGERS AND TOES, 673h; abnorm. 744j; surg. 614r,794f; wds. & inj. 636a
FISHERIES, 563c
FISTULA, biliodigestive 634e,681n; esophagothoracic 609n; intestinal 710e; gastrocolic, neonatal 598q; rectal 636p,782r; rectovaginal 725v; thoracic 633u
FLIES, 715s,791t; exper. 643n
FLUIDS, 656e,755i; extracellular 782d; interstitial 742o; metab. 627t
FLUORESCEIN, 694b
FLUORINE AND COMPOUNDS, 657a; antagonist 751n; dent. asp. 571p,620k,649n,650r,651h,733p
FOLIC ACID, estrogen rel. 577q,577r; ther. 585q, 594o,607i,607s,747c
FOLLICULITIS, etiol. & pathog. 674n; facial 651v; occup. 674q
FOOD, 628v,704r; adulteration 790o; allergy 561e, 593c,773a; American 776n,776r; antagonists 665v bact. 619d,619h; cooking 619h; metab. 581v,690k; military 772s; psychiatric rumination 616t; sanit. 631t,791a; storage in tropics 714t
FOOD AND AIR PASSAGES, obstruct. 758n
FOOT, corrective shoes 743n; dis. 680s; fract. 685e; posture 637k; prosthetic 736o; tabetic 674-l
FORMALIN, ther. 795e
FORMO-CIBAZOL, exper. 686v
FOWL, dis. 791q
FRACTURE, compound 615g; medullary nailing 598j,794s,795i; pathol. 759b; splints 708v; ther. progress 669q
FRAMBESIA, 590d,712-l
FRONTAL BONE, lesions 698e
FROSTBITE, 681h; exper. 690i
FRUIT JUICE, sour 701k
FUNGI, 561f,561i; culture 734v; eff. 638w; infect. 666k,675o; inhibit. 736t; paracoccidoides 671e
FUNGICIDES, trichothecin 581g
FURUNCULOSIS, ther. 718b
GALEN, 594c
GALLBLADDER, 677n; agenesis 679q; calculi 573m,667r,671h; dis. 796j; infect. 689t; preop. ther. 673v; roent. 710c; spont. separation 761e; surg. 635p
GALLSTONES, 603i,665e,707r,795v
GANGLION, celiac, excision 565f; stellate, blocking 708t,795-l,--excision 688p,--synapsis 693n
GANGRENE, 664e,684j; hemolytic streptococc. 711s
GARGOYLISM, pathol. 780f
GARLIC, ther. 683f
GARLICIN, 589g
GASES, exhaust 726a; tox. 614v
GASTRECTOMY, 766p,795t; compl. & seq. 748s
GASTRITIS, roent. 707q
GASTROENTEROLOGY, biopsy 604i; compl. & seq.

707p
GASTROINTESTINAL TRACT, dis. 735g; exper. 565o; mineral oil 800a; obstr. 758n; psychosom. asp. 686-l; roent. 707t; ther. progr. 607m
GASTROSCOPY, 575-l,588u,795w; compl. & seq. 575j
GAUCHER'S DISEASE, 661-l; China 745g
GELSEMIUM, ther. 691j
GENETICS, 562u,675m,737k,737r,737s,737t,797a; cytoplasmic factor 582q; dominance modification 582r; in cancer 664n; mutations 562r,562p,582s
GENITALS, abnorm. 780k; cancer 766e,769b,--cyto. diag. 763m; exam. 764f; hygiene 741p; tuberculosis 615b,738t
GENITOURINARY TRACT, abnorm. & deform. 757c; surg. instrum. 799q; wds. & inj. 799v
GERIATRICS, 665a,681b,699g,706t; dis. 669i; frequency graphs 697g; surg. 634t,666-l
GERSTMANN SYNDROME, 618b
GIGANTISM, 577b
GLANDS, extracts 625t; lactiferous 741c
GLASS ROD, phenomenon 768d
GLAUCOMA, 696c,696o,776t; acute 777f; climat. asp. 697h; diag. 674w; surg. 777a; ther. 697k, 709b,776v,777d
GLOBULIN, gamma 598n,749t,753g
GLUCIDES, metab. 703q
GLUCOSE, 750b; eff. 579i,750a; intravenous 577w
GLUCURONIDASE, 628g
GLUTAMINE, 564e
GLYCERIN, ther. 625s
GLYCOGEN, metab. 654m
GLYCOSIDES, eff. 578f
GLYCOSURIA, compl. & seq. 777m; exper. 745e
GOITER, endemic 669e,766o; exophthalmic, roentgenother. 766-l; exper. 580o; Netherlands 669c; prev. 654u; ther. 677w
GOLD AND COMPOUNDS, injections 596m; substitutes, dent. 651c; tox. 680v
GONADOTROPINS, 658c; chorionic 577j,577-l, 577m,577n,579f,746e,753w
GONADS, insuff. 699e; morph. 724s
GONORRHEA, anorectal 684g; compl. & seq. 601o; fever ther. 630c; gonococci resist. 674n; in child. 614g; ther. 592g,596o,614g,653c,668v
GRAAFIAN FOLLICLE, 562j
GRANULOCYTOPENIA, compl. & seq. 674o; exper. 609b
GRANULOMA, 653g; eosinophilic 661-l,666n,698k, 709h; exper. 654j; inguinale 595i,715d,742s; sulpha 773f
GROWTH, 657k,725b,725h,725i; cells 643e; exper. 642v,642w,643a,643c,643d; factors 567w,577a, 577b; retarded 602h; tissue 642u
GUILLAIN-BARRÉ SYNDROME, 589p,617t
GUILT, psychoanal. asp. 617k
GUMS, 734e; dis. 748u; hypertrophy 734a
GYNECOLOGY, appar. 736t; biopsy 604j; social hygiene 596h
HABROBRACON, 582w
HAIR, anthrop. asp. 562f; excessive 604u,610s, 765c; gray 787b
HALITOSIS, 606v
HALLUX, valgus 680p
HALOGENS, eff. 691n
HAND, burns 636g; contract. repair 796r; dermatitis 652g; plastic surg. 593i; surg. 614q,796s, 796t,796u; tendon inj. 792n; tumor 615c; wt + & inj. 740q
HAPLOMYCOSIS, 715c
HATE, psychoanal. asp. 617k
HAY FEVER, 561j,673t; nutrit. asp. 698p; ther. 641i,679i
HEAD, cancer 595k,595q; surg. 733m; tumor 732d
HEADACHE, diff. diag. 606w; etiol. 679n; histamine 773i
HEALTH, 581r,695k,706r; African 706m; oral 730v; service 706k,706n
HEALTH RESORTS, organization 742a
HEARING, aids 698c,698g; defic. 595c,--improved 778p; pitch 788g; tests 586t,621i,621k,697q
HEART, abnorm. 561o,603i,604w,625k,766c,779v; block 601f,644b,703w,726u,773j; blood vessels 644k,752n; cineradiography 756e; conduction system 644b,748p,752o; displaced 605a,661r, 747v; geriatric asp. 759v; hypertrophy 592o,595i; infarct 567p,600w,601b,607g,661-l,691d; insuff. 589k,613b,661o,753-l,756i,757b; life insurance 605i; ligature, Stannius 703w; mechanical 680v; physiol. 564h,627u,644a,667j,703b,703c,703d,744t, 751c,752r,786i,786r; pulmonary 761q; rate 567m, 654s,771t; regression 753s; research 791i; roent. 770h; sounds 611g,644b,668e; surg. 664p, 671d; thrombus 644i; toxins 661v; valves 758t; wds. & inj. 792s
HEART DISEASES, 567p,575v,690c,742k,752r; diag. 592p; diet in 654t; disability 613f; organic 680h; pathol. 661m; rehab. 740c; rheum. 603e, 616i,660n,690w
HEAT, accidents 614u; exchange 790a; stroke 768-l,789w; therapeutic 699a
HELMINTHIASIS, epidemiol. & statist. 714n; resist 714j; tetanoid spasm 590h; ther. 714i
HELMINTHS, physiol. 714k
HEMATIN, 581p
HEMATOMA, epidural 669h; soft palate 778n; subdural 592i,795k
HEMATOPOIESIS, 739n; exper. 780d
HEMATURIA, 594-l,603g,607a
HEMIPLEGIA, 727a; infants 684d; spastic 624e
HEMOBARTONELLA, muris 563v
HEMOGLOBIN, 580w,605t,703s,785p; metab. 594a, 594e,754f; oxygenation 628n
HEMOGLOBINURIA, hemolysis 756b; nocturnal 667k; ther. 596g
HEMOLYSIS, 632p,717v,749r,752d; bacterial 580u; compensation test 786-l; exper. 756o
HEMOPHILIA, 570r,741-l,781w; simul. 615v, 666w,793r
HEMOPTYSIS, 711n
HEMORRHAGE, 570f,668o,701b,744k,750m; intra-abdominal 747b; puerperal 583t; rectal 766a
HEMORRHOIDS, surg. 635i,762o
HEMOSTASIS, 793k
HEMOSTATICS, alginates 792u
HEPARIN, 611p,613g,710-l,711j
HEPATITIS, 713d,713e; acute 681a,766s; infect. 593c,610p,746v,760o,772r; septic 606a; viral 689e,713d
HERBICIDES, 737a
HEREDITY, 687a,722-l
HERMAPHRODISM, simul. 576b,663r
HERMBSTAEDT, SIGISMUND FRIEDRICH, 626h
HERNIA, 742g; crural 586s; diag. 586v; diaphr. 597g,634j,634m,658s,675v,707o,769w; inguinal 599r,606u,634n;708o; intra-abdominal 636u, 709d; Richter's 636k; strangul. 613t,743-l; surg. 598o,599u,665k,711f,743e; umbilical 613w,711f; ventral 793c
HERPES, zoster 592-l,605i,652d
HEXACHLOROCYCLOHEXANE, tox. 700m
HEXESTROL, 579-l
HEXOBARBITONE, 599g
HIP, disloc. congen. 636b,678t,762a; fract. 672e, 672g,792t; innervation 721v; necrosis 672f; surg 605q,634i,685b,692c,717g
HISTAMINE, 573a,641i,721d,786s; antagonist 561h, 586v,596f,604n,610g,641h,641i,666i,670k,679f, 679i,680a,721g,721h,766n,786s,796g; determ.

768m; dosage 702t; exper. 796g; in pregn. 771s; intravenous 756c; pharm. 700w; physiol. 755f; ther. 595a,696k,721f; tox. 689h,773i
HISTIDINE, in pregn. 771s
HISTIOCYTOSIS, 661-l
HISTOPLASMOSIS, 612w,715a,716m,716q; diag. test 574e; pulmonary 675a
HODGKIN'S DISEASE, 596j,597o,603f,754o,763n; compl. & seq. 665-l; ther. 763u; tonsils 567c
HOMOSEXUALITY, forensic asp. 743f; psychoanal. 617j
HOOKWORM, in Brazil 670v; infect. 714n
HORMONES, 770q,782a; adrenotropic 576k,576m, 576p,576q,576r,576s; balance 699i; body temp. 575r; eff. 585k,591r,700k; exam. 747f; in cancer 768w; lactogenic 578s; lipocaic 783b; nutrit. asp 735g; protein 664s; ther. 578t,603v,612k,658n, 671a,738v,743u
HORMONES, SEX, 568b; determ. 578q,579e; eff. 579o,724-l; metab. 577r; vertebrates 741n
HORSES, dis. 623c
HOSPITALS, 599i,659u,677s,701h,706r,739q; admin. 594n,659-l,666g,739q,767o; ambulance 659k; American 659j; children's 687w; educ. asp. 688n; emergency serv. 686o; finance 586k; gyn. service 658-l; isolation 629m; library 569n; London 663w; military 614p; obst. service 608i, 658-l,662s; pediatric service 623t; personnel 586f; pharmacists 701i; planning 586-l,659k; psychiatric, volunteers 775e; records 659p; twenty-five bed 659m
HOUSING, 790k,790-l,790m; sanitation 790v; terminology 790b
HUMERUS, fract. varus position 758r; torsion 721t
HYALURONIDASE, 755u; antagonist 750d,750e, 745d,755a; assay 655a
HYDANTOIN, ther. 614i
HYDRAMNION, 606u,743q
HYDRASTININE, hydrochloride 786r
HYDROCELE, surg. tech. 767n
HYDROCEPHALUS, 694c; etiol. & pathogen. 611c, 617r; ther. 710p
ther. 710p
HYDROGEN ION CONCENTRATION, determ. 626p
HYDROGEN PEROXIDE, eff. 765p
HYDROPYONEPHROSIS, 606p,717n; infants 638u
HYDROSTATICS, 628n
HYDROTHERAPY, 742a; hist. 596c
HYDROTHORAX, 661k,762g
HYGIENE, aviation 723s; rural 629h
HYMEN, dis. 738n
HYPERESTROGENISM, ther. 578s
HYPERKERATOSIS, 600m
HYPERTELORISM, ocular 693g
HYPNOSIS, diag. 605k; dent. asp. 649t; ther. 630h
HYPODYN, ther. 675h
HYPOPROTEINEMIA, 575e
HYPOSPADIA, surg. 782r
HYPOTHALAMUS, 800k
HYSTERECTOMY, cesarean 671u; compl. & seq. 583m; indic. 677f,771e; results 673p; vaginal 711u,771e
HYSTERIA, 612p,617t,618-l,661n
HYSTEROSALPINGOGRAPHY, 597k,792k
ICE CREAM, 790n
ICHTHYOSIS, 652p
ICTERUS, nuclear 782u
ILEOCECAL VALVE, lipoma 673m
ILEOSTOMY, anal 710u
ILEUM, diverticula 712b; inflamm. 676b; perf. 793e
ILEUS, acute 795d; chronic 597h; etiol. & pathogen. 635r; gallstone 603i,707r; in child. 597h
ILIUM, abscess 589w
IMMUNITY, 561g; active 686j; mechanism 785s
IMPOTENCE, 617j
INDUSTRIAL MEDICINE, 586r,586w,660c,660d,660e, 740e,740f,740r,783q; Ceylon 740a; dent 629v; epidem. & statist. 740o; exhaustion 789w; hygiene 586p,775c,630k,740d,740e,772f; wds. & inj. 607v 607v
INDUSTRY, cooperation 776j; human rel. 664u; safety 740f
INERMICAPSIFER, cubensis 879d
INFANT, abnorm. & deform. 576c; anorexia 608s; antibody formation 624m; behavior 608t; blood pressure determ. 699w; breast feeding 677t; communicable dis. 623t; dehydration 600q; diarrhea 611f,682v,744c,782c; dis. 682t,748h; feeding 605s,--mare milk 699o; formulas 659m; gastrointest. dis. 591h,611f,682v,760k; head measurement 624o; identification 659o; immun. 756u; intravenous ther. 793c; intubation in 664p; marasmic, care 765d; muscle dystrophy 608t; nutrit. defic. 780w; penicillin ther. 594g; postmature 583o; stridor congen. 700g; syphilitic osteochondritis 670q; tetany 782u; thrombosis 622o; toilet seat 736v; toxicoses 699n,--nutrit. 778f; vomiting 682v
INFANT, NEWBORN, 587v; anemia 760h; birth trauma 760j; blood in 624j,699f; cardiovasc. dis. 684a; care 782-l; diabetic asp. 577i; dis. 744c; enterocolitis 782v; icterus 601q; infect. 682s; intracranial dis. 760j; mortal & morb. 664t; prothrombinemia 703v; prothrombinopenia 703u; resuscitation 744g; surg. 623v; tetany 624j; weight 577i, 753u,--China 745k
INFANT, PREMATURE, care 782-l; colic 623s
INFANTICIDE, 742c
INFECTION, dental 660s; exper. 577v; gangrene in 684j; in mongoloids 705h; prev. & control 790r; prolonged 753j; ther. 793a
INFECTION, FOCAL, 572i,621m,689t,731-l,778i; dent. asp. 732t,760w,761b; internal 761a; pathol. 761a
INFECTIOUS DISEASES, epidem. & statist. 764b
INFLAMMATION, 612q,650i; exper. 690f
INFLUENZA, A, in mongoloids 705g; blood in 630t; in child. 625k; immun. 761t; vaccination 574b; virus 564j,565k,756d
INFUSIONS, fatal 738g; infants 699n; intraosseal 600q; reactions 795w
INHALATION, ther. 602n,602p
INHIBITION, fatal 665j; retroactive & proactive 787j
INJECTIONS, 611b; appar. 783e; intrapulmonary 632u; intraspinal 747j; intravenous 684-l; jet 678g nutritional 604c; sclerosing 677w
INOCULATION, subcutaneous 636j
INSECTICIDES, 642q,642s,716a,784m,784v; chem. 716a; equipment 716b; legislation 784w; lice 715v, 715w; tox. 715w
INSECTS, 791s; bites 662v; develop. 745w; physiol. 785r
INSEMINATION, artif. 584w
INSULIN, 590o; eff. 654m,702n,711h; excess 576-l, 708-l; in blood, exper. 642n; metab. 750-l; resist. 754i
INSULINASE, eff. 754n
INTERFEROMETER, Jamin 696w
INTERNS, appointment 586e
INTESTINES, amebiasis 565d; atresia 623v; cancer 675m; cyst 709e; dis. 624j,667q,674i,680t,781k; diverticula 707u,710e; drainage 668c; gangrene 683f; immun. 641g; inflamm. 743k; insuff. 669m; invag. 590u,635s,680g,688j,743p; lipodystrophy 575k; motility 575g,765w; obstr. 584p,588m,590s, 599e,634e,636u,709f,709r,710g,712a,712b,--in child. 709b; parasites 772r; perfusion 800b; physiol. 703a; roent. 673o,685a; surg. 586s,588v, 710d; tox. 629t; tuberculosis 684v,684w,685a, 685c; tumor 710e,770-l; vascular occlusion 667c;

volvulus 757g
IODINE AND COMPOUNDS, eff. 577c,654m,752h; in peripheral tissue 753i; radioactive 575q,577g, 578k,578-1,605p,655d,702q,707m,751o,753i,755o, 756-1; serum 749p
IONIZATION, 699c
IONTOPHORESIS, appar. 581n
IRIS, atrophy 768g; hernia, ther. 696o; inflamm. 613-1,649d,759f; melanoma 696g; rubeosis diabet. 777e
IRON AND COMPOUNDS, eff. 735d; in blood 700r; in ovogenesis 724r; in sea water 563b; radioactive 587e
ISOTOPES, 598p,666p,754f,769a
JAUNDICE, 608w,746v; diag. 600i,665p,767u; etiol. & pathogen. 602u,687o; hemolytic 612-1,659e; in animals 685v; spirochetal 599e,681s,791p; syphilitic 597m; ther. 760-1
JAW, abnorm. & deform. 648i,732d,733k,765c; actinomycosis 733k; ankylosis 572-1,651g,711r; cancer 572j; cyst 612e,732f,733-1; dis. 796v,--in child. 732c; fract. 710n,731e; orthopedics 651g,732e; surg. 572-1,648o,731p,732c,732f; tumor 621o
JEJUNUM, inflamm. necrotizing 629t; invag. 792g
JOINTS, acromioclavicular 636v; atlanto-epistrophial 768-1; dis. 564k,598m; innerv. 748r; tuberculosis 638h,679h
JUGULAR FORAMEN, neurinoma 768u
JURISPRUDENCE, MEDICAL 585a,601t,610u,618p, 678v,764f,771j
JUVENILE DELINQUENCY 617a
KALA-AZAR, blood in 759o; ther. 660o
KAPOSI'S SARCOMA, diag. 734o
KERATITIS, interstitial 621a
KERATOCONJUNCTIVITIS, phlyctenular 599m
KERATODERMATITIS, hypoestrogenic 651-1
KERATOMALACIA, infants, diag. 789p
KERATOPLASTY, 604o,687g,768j
KERATOSIS, 566o
KETONEMIA, 565a
KIDNEY, artif. 574j,683t; asymptomatic dis. 606g; blood flow 754a; calculi 661m,664-1,676a; cancer 566h,799p; carsinosarcoma 717j; decapsulation 799o; develop. 562i; dis. 608e,654t,689e,742-1, 751f,755s,772n,--in child. 744p; function tests 667d,755c,757h,795g; geriatric asp. 742m; insuff. 595s,576d,613a,685m; pelvis 632m; physiol. 562n, 582c,702n,703g,726r,751b,751g,751t,754s,786w; pituitary rel. 579m; roent. 632r,674b,707j; sclerosis 745e; surg. 717-1,796n,--appar. 800d; syphilis 597m; thrombosis 644h; tuberculosis 638r, 638v,639e; tumor 635m,717o,795i
KNEE, disloc. 796a; splints 605d; surg. 692b,748s
KOBER'S TEST, 654q
KYMOGRAPHY, 743w
LABOR, 765j; breech presentation 691r; compl. 594i,600q,670b,738k; difficult 738q; face presentation 583i; forceps use 691p; induction 583o,583u; infect. 606e; pain-reliever 695h; precipitous 610m,706-1
LABORATORIES, methods, gastric aspiration 653k; technician 653m; tests 764m
LABYRINTH, physiol. 591b
LACTATION, 658g; immun. 601k; physiol. 625d
LANGUAGE, religious 704d
LAPAROTOMY, 575-1,601-1
LARYNGOLOGY, hist. 606d; penicillin 608q
LARYNX, cancer 565w,566d,591o,606d,622k,667q, 778p,--statist. 697u; chondronecrosis 707k; cyst 762o; for. bod. 591h; inflamm. 591j,608s; moniliasis 697t; paralysis 622n,760t; physiol. 698d; surg. 621t,622f,698n,778-1; tuberculosis 600j; tumor 698i,698k,707k,771d
LEAD POISONING, 680m,740r; ther. 700t
LEARNING, 788e,788-1; exper. 704m; maze 704h; theory 704-1
LEECHES, ther. 581r,637-1
LEG, 590v,665g,743e; abnorm. 797e; bullous erythema 598s; edema 652t; elephantiasis, ther. 759s; gangrene 679j; plastic surg. 794k; prosthesis 616m,616n,736p; roent. 792i; ulcer 573e, 653a,734s; vascular dis. 635g
LEISHMANIASIS, 714q,714r; diag. 590c; in dogs 665s
LENS, CRYSTALLINE, ectopy congen. 768i; rupt. genetic asp. 582v; sublux. 696c
LEONTIASIS OSSIUM, 566g
LEPROSY, 666a,716k; atypical 651p; Belgian Congo 798o; classification 651s; epidem. 712r; hist. 651t; immun. 637p; rehab. 660k; ther. 588f,651m,660k,670t,674u,712r,712w,734n; tuberculoid 651p,734w
LEPTOSPIRA, 791o; Dutch East Indies 637o
LEPTOSPIROSIS, 712s; canicolaris 598p,675u; diag. 611a; epidem. 712t; Java & Sumatra 712r
LERMOYEZ'S SYNDROME, 698c
LETTERER-SIWE'S DISEASE, 661-1
LEUKEMIA, 655j,739f,739g,741f; acute 610n; China 745i; chronic 739k; etiol. & pathogen. 739m; exper. 565h,739e; granulocytes 739j; in child. 707j; in pregn. 584o; lymphatic 564s; 760h; monoblastic 699m; monocytic 606k,648j, 652d,739o,742n; myeloid 592d,680i,690f,739h, 768a; neurological asp. 599a; ther. 585m,585n, 588e,659g,739h,739i,753c,765t,767j
LEUKOCYTES, 585k,741i,750s,752b; form. 741n
LEUKODERMA, 567i,757b
LEUKOPLAKIA, 698k
LEUKORRHEA, 680-1,738r,744h
LICHEN, planus 573p; spinulosus myoticus 573g; striatus 573p; tuberculous 652j
LIGHT, 642j; Finsen 573a; in classroom 706p; sensitization 680d,740f; sun 696v
LIGNIN, chem. 702i
LIME, inj. eff. 768b
LIP, dis. 677w; melanoma simul. 651q
LIPASE, pancreatic, determ. 653j
LIPIDS, 564r
LIPODYSTROPHY, 623u
LITHIUM CHLORIDE, 643-1
LIVER, abscess 599t,765q; acute yellow atrophy 624b; amebiasis 565d,603n; biopsy needle 575h, 676m,--appar. 575f; cancer 725t,793g; cirrhosis 573g,602i,602u,661g,672m,751g,751s; cyst 748j; develop. 628i; diet. ther. 746i; dis. 613b, 613f,685v,687o,689v,690b,742j,750u,751i,753p, 755c; echinococcosis 590h,632n; embryology 725a; enzymes 626v; function tests 600i,655v, 664h,688-1; inflamm. 685m,766r; injury 681u; insuff. 753k; morphine tolerance 563s; pathol. 654d; physiol. 577o,579a,591d,603p,654q,673t, 685w,769-1; rupt., infants 624s; surg. 711e, 793g,--compl. & seq. 654n; syphil. gumma 674s; tumor 566s,580p,770-1,--exper. 672v
LIVESTOCK, legislation 790r
LUNG, abnorm. 782g; abscess 603c,633p,633v, 666o,676i,779g,796e; cancer 566n,592v,633d, 633g,682h,687k,707o,716r,717c; cyst 673m; dis. 598v,611d,611h,638j,663o,710q,716q762u; dysplasia 780h; echinococcosis 634g,634h,634-1, 634p; edema 682i,738k; eff. of drowning 785j; embolism 600c,682f,755p; emphysema 755e; for. bod. 781m; hemorrhage 641t; hernia, postop. 798u; lesions 679v,779v; physiol. 716u,751m, 751q; postop. 711m,747t; roent. 707v,717e,749f, 770j; sarcoidosis 691c; suppuration 593j,670m, 793m; surg. 633m,633p,662s,663o,716o; syphilis 684-1; tumor 606o; wds. & inj. 638h
LUPUS, compl. & seq. 597n; erythem. 597m,597o, 661p,663d,688w; inoculated 573j; ther. 573a,

600n,651w,759c,765u
LYE, tox. 623r,761-l
LYMPH, 603h
LYMPH NODES, cancer 610i; dis. 591g; eff. of X-rays 594r,721w; in allergy 687m; inflamm. 658v; physiol. 702w; tuberculosis 664o,685-l, 717d; tumor 685g
LYMPHANGITIS, epizootica 715g
LYMPHOCYTES, count 579i
LYMPHOID TISSUE, 778t
LYMPHOMA, ther. 588e
LYSOZYME, 770b
MACULA LUTEA, 620r
MAGNAN'S MOVEMENT, 594k
MAGNESIUM, eff. 751n
MALARIA, 603q,607b,686c,714c,714g; carriers 631k; control 631-l,714a; prev. & control 714a,714d, 714e,716g,716h,759p,798m; epidem. & statist. 610e,714f,714g,762k; exper. 587e,791r; immun. 713v,713w; in Africa 581o; in birds 713-l; in child. 699-l; in China 713q; in Portugal 713r; in Trinidad 713p; in U. S. 705q; recidiv. 699-l; serodiag. 598h; tertian 798n; ther. 612v,655w, 668b,713t,713v,715r; vivax 713n
MALLEOLUS, fract. 795q
MANDIBLE, abscess 649-l; fract. 709m,722s,773g; necrosis 570-l; osteomyelitis 570k,570n; plastic surg. 794k; tumor 570j,570-l,570m
MAPHARSEN, ther. 771c
MARCHIAFAVA-MICHELI SYNDROME, 600g
MARGARINE, nutrit. asp. 763r
MARIHUANA, addiction, determ. 653p
MASSAGE, appar. 736p,736q; ther. 683c
MASTICATION, 650a,723p
MASTOIDECTOMY, 622h; infants 778f
MASTOIDITIS, 698f; ther. 622h,796b
MATERNITY, welfare 608i,609t,760c,769g
MATING, 724-l
MATURITY, moral 692q
MAXILLA, dis. 677w,733g; fract. 615d,794o; osteomyelitis 649e; tumor 649h
MEASLES, epidem. 630s; immun. 761t; prev. 598n
MEAT, vitamin content 619e
MECHOLYL CHLORIDE, 799w
MECKEL'S DIVERTICULUM, 613w
MEDEA COMPLEX, 617c
MEDIASTINUM, 632v; hernia 633a; inflamm. 605b; tuberculosis 685-l; tumor 678k,725t
MEDICAL BOARDS, specialties 675b
MEDICAL CARE, 791g; Belgian Congo 715k; chronic dis. 586-l; New York State 679u; payment plan 597a; prepaid 679u; rural, children 744r; terminal illness 705v,726-l; veterans 597a
MEDICAL EDUCATION, 677d; U. S. S. R. 630a
MEDICAL ETHICS, psychol. asp. 679b
MEDICAL EXAMINATION, dent. asp. 678w
MEDICAL HISTORY, 675r,716w; Galen 666s,666t, 668r; gen. pract. 764w; research 601r; U. S. Army 594s
MEDICAL PHYSICS, 792j
MEDICINE, 663v,677s,750m,767n; administration 663w; American Chinese 745-l; Antarctic 676r; Argentine 587q; China 691k; Congo 663n; Dutch East Indies 761w; folklore 596c,670f; gen. pract. 688s,688t,689-l,690c; internal 596w,608f; legislation 687f,744v; New Zealand 764v; Paraguay 747m; political asp. 739r; progress 613m; psychiatric asp. 765a; rural 586c,758b; social 671o; Spain 587q; U. S. S. R. 741u
MEDOMIN, 564u
MEDULLA OBLONGATA, tuberculoma 606-l
MELANODERMITIS, toxica 652q,652r
MENIERE'S DISEASE, 695r; surg. 622p,747g; ther. 686w
MENINGES, abscess, otogenic 763b; cyst 709c; hemorrh. 746u; tuberculosis 588g,682u,684c,695q; tumor 726f,774c
MENINGITIS, 682u,766h,766i; coli bact. 669s; compl. & seq. 621n; diag. 682v; etiol. & pathogen. 779g; fatal 779a; infant 677r,748m; influenzal 588o,624-l, 781q; purulent 588a,699t; surg. 622r,694p; ther. 589q,595d; torula 678i; tuberculous 604s,623p, 669t,674k,681d,681e,749h,781n; typhoid 664k
MENINGOCOCCI, carriers 756w; infect. 780a
MENINGOENCEPHALITIS, 780q; bact. 615u; compl. & seq. 592-l
MENISPERMUM, 784j
MENOPAUSE, compl. & seq. 738v; hemorrh. 738v; ther. 578t
MENSTRUATION, 658i,772e; dis. 578r,584v,658n, 691p; exper. 578s; physiol. 585g,625d
MENTAL DEFICIENCY, 616v,617g,694u; in child. 628w
MENTAL DISEASES, 694s; compl. & seq. 612o; genetic asp. 616v; military asp. 775r; ther. 774s, 775-l,797s
MENTAL HYGIENE, 631a,662o,664u,664v,675k,692j 692t,694s,775b,775f,798g; British troops 617e; home influence 775c; in Palestine 670h; international 775b
MENTAL SYNDROME, 773t
MENTAL TESTS, 617h,692i,692n
MENTALLY ILL, care 617h,739q,775h; dangerousness 774n; rehab. 797t,798a
MERCURY AND COMPOUNDS, bacteriostatic 594u; tox. 624i,671j,700g,700t,739v,762c
MESANTOIN, 668d; inj. eff. 671w,774v; ther. 681v
MESENTERY, blood vessels 709q; cyst 623o
MESTER TEST, 612s
METABOLISM, 576q; 576w,577a; determ. 756k; dis. 578-l; energy 577c; in small mammals 657d; in starvation 690j; in young men 753w
METALS, brain surg. 693w
METAMORPHOSIS, 643m
METHENAMINE, chem. 626m
METHIONINE, 564f; metab. 753p
METHYL GROUP, metab. 736c
METHYL METHACRYLATE, 707n,733j
METHYLCHOLANTHRENE, 657g,725n
METHYLENE BLUE, ther. 723n
METHYL-ISO-OCTENYLAMINE, 676o
METOPON HYDROCHLORIDE, 783h
MICRO-ORGANISMS, metab. 656c
MICROPHTHALMIA, genetics 737j; in animals 582v
MICROSCOPY, 579t,611o,697d,736-l,778b,791-l; appar. 657f; electron 656s,791u,--wool 655q; phase 697d
MIGRAINE, ther. 595a,676o
MIKULICZ'S DISEASE, 777a
MILITARY MEDICINE, 603-l; admin. & org. 773d; dental logistics 615n; dentistry 649b; France 614v; Java 762j; neuropsychiatr. exam. 615p; psychiatry 773o,776a; surg. 772v; U. S. hospital ship 615r; venereology 681g
MILK, anal. 620e; hygiene 591s,609r,620d,638b; inspection 771h; mare 699o; nutritive value 662a; pasteurization 620e
MINNESOTA M P I, 723f
MITES, 715u; anat. 724o; trombiculid 705e
MITOCHONDRIA, staining 736-l
MITOSIS, 643i,643j,690f
MITRAL VALVE, calcification 613i; insuff. 643v; stenosis 644d
MOLGULA, manhattensis 564v
MONGOLISM, etiol. 767p
MONILIASIS, 747r; larynx 697t; pulmonary 668m
MONOCAINE FORMATE, 722w
MONOCROTALINE, tox. 564-l
MONONUCLEOSIS, INFECTIOUS, 604d,606n,658u, 739d

MONSTERS, 590f,590v; twin 600q
MORPHINE AND DERIVATIVES, 675i; addict. 699t; determ. 701n; source 784i
MORPHOGENESIS, 628i
MOSQUITOES, Africa 798j; culex 791t; Far East 715p; U. S. 715q
MOTIVATION, 797s
MOUTH, anat. 571a; cancer 565w,571b,571e,726k; chem. 733w; communicable dis. 648r; dis. 572g, 614q,648g,732b; infect. 571c,651f,731o,765-i; inflamm. 652-l; photography 650q; surg. 570i,571d, 571e,571i,571j,648o,650g,731p,732c,732e,732i,--plast. 731u,732b,794k; syphilis 734d; tumor 607n
MOVEMENTS, dis. 618j
MUCOCELE, 698e
MUREX, trunculus, extract 580-l
MUSCLES, 746m; anat. & histol. 736h; atrophy 588w, 624f; dis. 631q,798c; dystrophy 608t,679p; electrolytes 754q; fatigue 741e; fiber, protoplasmic clotting 628-l; hemangioma 708t; innerv. 657s, 736h; pharm. asp. 564u; physical ther. asp. 798d; physiol. 627r,628b,637h,693i,703j,785d,786d; relaxation 641q,678h; scalene, syndrome 792w; surg. tech. 777b; tonus 735d; visceral 580f; wds. & inj. 769c
MUSIC, in anesthesia 722s
MUSTARD, types 626s
MUSTARD GAS, 611s; exper. 725s; ther. 611v,747j
MUTATIONS, 562r,598t
MUTISM, 617o,621n
MYANESIN, 564t,641q
MYASTHENIA, 593a,618g,749v; gravis 637f,764q
MYCETOMA, 591i
MYCOSES, 651n,715b; cutan. 561i; fungoid 652q, 652v
MYELITIS, fatal, postvaccinal 743k
MYELOCYTOSIS, 610n
MYELOMATOSIS, 605r
MYELOSIS, aplastic, path. 658s; inflamm.
MYOCARDIUM, inflamm. 567o; metab. 752n; wds. & inj. 726p
MYOPIA, group training 631p; spastic 777m
MYOSITIS, epidemic 624i
MYOSTATINE, 741b
MYOTONIA, atrophic 679p; congen. 617v,668d,780k
MYXEDEMA, 655i,667u
NAIL BITING, 775g
NAILS, 796u; eczematous,allergy 573t; mycosis 615a; pigment., medicament. 671b
NARCOANALYSIS, pentothal 789g
NARCOLEPSY, 765k
NARCOSIS, 629b,636i
NARCOTICS, in oyster muscle 563g; legislation 626q
NASOPHARYNX, cancer 683w,684a; diathermy 746g; dis. 74[illegible]; ther. 778k; tumor 742q
NASTURTIUM, genetics 583a
NATIONAL HEALTH ASSEMBLY, 783f
NATIONAL HEALTH SERVICE ACT, 764u,776e
NAZISM, 618p; psychol. 789b
NECK, cancer 575k,595q; surg. 595o; swellings 592c; tumor 732d
NEGROES, characteristics 788t
NEMATODES, 678c,724b,724c
NEO-ANTERGEN, ther. 679i
NEOHETRAMINE, histamine antagonist 574n,641d
NEOSTIGMINE, 589m,658n,760s; tox. 672c
NEPHRECTOMY, postop. compl. 682f
NEPHRITIS, 734o; glomerular 597b,598r,601c, 603t,759t,772n; in child. 601c; low potassium syndrome 755n
NEPHROSCLEROSIS, eff. of diet 654t
NEPHROSIS, 751t,779t,780w; lipid 746s; mercury 799o
NEPHRO-URETERECTOMY, indications 763-l
NERVES, acoustic, neurinoma 746u,--surg. 747g; anat. & histol. 692f; cranial 722h; develop. & growth 693c; exper. 565i; genitofemoral 785w; hypoglossal 614n; in laryngology 697p; motor 618i,785f; olfactory 617m; optic 620p,620q; pathol. 722d,722e; periph. 614k,694o,711g,760s, 798c; pharm. 643k; phrenic 716u; physiol. 628m, 667g,685n,693i,693k,693-l,693n,693o,771v,773w, 785d; presacral surg. 635c; Ranvier's nodes 693j; recurrent laryngeal 622n,760t; sciatic 774k; spinal plexus 746m; surg. plast. 772h, 794u; vagus 690g,703q,770h; wds, & inj. 614k, 614n,683b,694o
NERVOUS SYSTEM, anat. & histol. 618a,694g; dis. 687v,692s,694j; exper. 643h; in child. 769f; pathol. 694i; pharm. asp. 694i; physiol. 642-l, 693m,693n,694g,694h; roent. 593u,694n; tumor 799p
NERVOUS SYSTEM, AUTONOMIC, 694-l,706e; dis. 690g,691n; endocrin. asp. 703n; physiol. 592m, 627p
NERVOUS SYSTEM, CENTRAL, activity 785q; electric potential 700j; physiol. 628k,694h,694n; infect. 777-l
NERVOUS SYSTEM, PARASYMPATHETIC, stimulation 626c
NERVOUS SYSTEM, SYMPATHETIC, block 735o, 795k,764i,795-l; cervical 665b; dis. 765i,765m, 768m; exper. 751j; function tests 753a; neuroblastoma 692a
NEURALGIA, brachial 637j; trigeminal 732v
NEURASTHENIA, ther. 629v
NEURITIS, 593o; interstitial 616h; optic 589d,620s, 687e,696h,696j,696k,777-l; peripheral 774d
NEURODERMATOSIS, ther. 606g
NEUROFIBROMATOSIS, 782a
NEUROLOGY, 662u
NEURONITIS, infect. 686f
NEURO-OPHTHALMOLOGY, 694k
NEUROSES, 599a,617e,667t,671-l,694v,742t; exper. 741s; in child. 617m; in gonorrhea 601o; olfactory sense in 617m; physical rehab. 637e; ther. 678q,682b; ther. 706f
NEUROSYPHILIS, 694k
NEURO-OTOLOGY, 694j
NEVUS, surg. 794n
NIACIN, ther. 728w
NICOTINAMIDE, ther. 613b
NICOTINE, 641w; addict. 787n
NICOTINIC ACID, defic. 661w; ther. 621a
NITROGEN AND COMPOUNDS, determ. 790b; metab. 577b,643m,749p,749q,756f,756h; mustard 601i,604q,605o,611s,611t,675p,676n,726k,753f, 763u; oxides, tox. 767h; retention 595w
NITROFURAZONE, eff. 652f
NITROUS OXIDE, 750f
NOISE, 723k
NOSE, abnorm. & deform. 684b,706e; dermoid cyst 779e; dis. 776h,779b; evolution 698r; surg. 748i,778u,794m; tumor 595e,759d
NOSOLOGY, 586d,767s
NOSTRUMS, 607d
NOVOCAINE, intravenous 691d
NUCLEIC ACID, eff. 757-l
NUCLEOPROTEINS, 581m
NURSES AND NURSING, 586f,586i,605j,659n,659q, 664i,675c,686n,695g,706r,740e; China 695f; Indiana 706s; male 695m; psychiatric 695b; tropics 715i
NUTRITION, 669b,786c; defic. 598e,649e,680-l, 699e,699f,699g,771u,787b; Brazil 670v; dent. asp. 731r; dis. 602h,623-l,715a; eff. 619o; fat 672k; geriatric asp. 699g; in Tropics 712i; public health asp. 618v;
NYSTAGMUS, 681n,772a,786q; amytal, in alcoholics

696a
OBESITY, 661o; hypothyroid 677h; ther. 579m
OBSTETRICS, 584a,772n; biopsy in 604j; birth tables 688a; hemorrh. in 668o; in Pondichery 716e; ophthalmic compl. 664w; pituitary preparations 665i; rooming-in plan 586a,586b
OCCUPATIONAL DISEASES, 593-l,739w,759w; benzolism 660h; beryllium pneumonitis 798s; paraffin 734-l; prev. 674f,789s
OCCUPATIONAL THERAPY, 695b,797-l; group 797r
OILS, 662c,737g; coconut 662d; mineral 800a; wintergreen, tox. 781n
OMENTUM, pathol. 709d
ONCHOCERCIASIS, 714i,761n
OPHTHALMIA, sympathetic 590a,768h,777i
OPHTHALMOSCOPY, 697h
OPIUM, greek 702d; morphine determ. 701n
OPOTHERAPY, antianemic 783j,783k
OPTICS, 697b; biolog. asp. 627a
OPTOMETRY, aptitude test 787p
ORBIT, surg. 796w; tumor 566h,696j,762p
ORTHODONTICS, 569u,572d,648-l,648w,650-l,650p, 650s,730s,730t,730v,730w,731h,733q,733v; appar. 572p; diag. 649o; social asp. 734c
ORTHOPEDICS, 635v,635w; medullary nailing indic. 635u; preventive 624t
ORTHOPSYCHIATRY, 692h
ORTHOPTICS, research 695v
OSMOSIS, 725f
OSTEITIS, deformans 567b,699g; fibrosa 566f,591j, 591p; surg. 692c
OSTEOARTHRITIS, ther. 664r
OSTEOCHONDRITIS, deformans juvenilis 624h; dissecans 675a
OSTEOMALACIA, 751f
OSTEOMYELITIS, 615g,762t,778h; sclerosing 673p; ther. 598u,634a
OSTEOSYNTHESIS, indic. 691v
OTITIS, endocrine compl. 761j; externa 621p; media 590g,677n,698f,761d; septic 779h
OTOLARYNGOLOGY, 595o; biopsy in 604h; surg. 691o; ther. 621s
OTORHINOLOGY, roent. 763r
OVARY, cancer 566v,566w,603p; cyst 584u,--in child. 658a,--in pregn. 671a; endometriosis 748v; fibroma 637a; hemorrh. 747h; hormones 579o,612i; physiol. 561p,578o,770u; rudimentary 681f; surg. 738p; tumor 583q,585e,634t,712a, 726h,796d
OVOGENESIS, mammalian 737-l
OVULATION, anomalous 741d; exper. 767a
OXIDANTS, antagonists 662c
OXYGEN, consumption 628f; defic. 657a,700w; metab. 636i; pharm. 702g
OXYGEN THERAPY, 761j; in surg. 708r
OXYTOCIN, assaying 627d
OZENA, 748i; metab. 621u
OZONE, ther. 768p
PAGET'S DISEASE, 678k
PAIN, 675u; causalgic 743j; exper. 753v; in phantom limbs 743d,743o; sensitiveness to 667h; surg. 683b
PALATE, cleft 571f,597j,608m,650c,698h,796w; soft, hematoma 778n; surg. 571f,733m; tumor 569r,651e,779g
PALLHYPESTHESIA, 773u
PALUDRINE, 590v,655w,713u
PANCREAS, aberrant 712h; calculi 599w,699c; cancer 633d,644c,662j,746o; cyst 624u,710f; diet ther. 746i; dis. 606b,613s,708i,708j,708k,771k; enzymes 626w; fibrosis 603w; pathol. 708g,780r; physiol. 708h,768b; preparations 593f; pseudocyst 795u; radiology 706j; secretion 687q,710h; surg. 574i,594r,708-l
PANCREATITIS, 588p,589a,664h; acute 745a,793b; compl. & seq. 575c
PAPPATACI FEVER, 713h
PARACOCCIDIOIDOSIS, 715c
PARALYSIS, cerebral 618c,637d,637i,723b; cervical sympathetic 665b; cranial 759m; etiol. & pathogen 582a; peroneal 635w,772h; radial 635w; sciatic, great 772h; spastic, ther. 798c,798d,798e; syphilitic 670q
PARAMECIUM, aurelia 724b,724j,724k
PARAMECIN, eff. 724i
PARAPLEGIA, etiol. 723a; recurrent, syphilitic 772a; subarachnoid block 694a; ther. 665v
PARASITES, 714k,759r; in rat 800j
PARASITOLOGY, progress 608f
PARATHYROID, hypofunction 576e; tumor 566f,591p
PARATYPHOID FEVERS, 691g
PARENTHOOD, planned 775f
PARENTS, skill 784g
PARKINSONISM, ther. 680n
PARONYCHIA, 671c
PAROTID GLAND, anat. & histol. 722h; surg. anat. 743c; tumor 634r
PAROTITIS, immun. 673f,757q; milit. asp. 671i; testis 584f,718a; ther. 758d; virus 564i,564j,705f
PARPANIT, ther. 680n
PATELLA, fract. 591t,710m; surg. 692b
PATHOLOGY, clinical 706m
PAUL-BUNNELL REACTION, 606n
PEANUTS, 637r
PEARL DISEASE, in man 663t
PECKHAM EXPERIMENT, 689v
PEDIATRICS, 781t,782i,782-l,782n; clinics 760c; liver dis. 592f; Texas 689q
PEL-EBSTEIN DISEASE, 613q
PELLAGRA, India 671n
PELVIS, cancer, metast. 567i; cellulitis 686j; dis. 677f; inflamm. 658e; measurement 658g; roent. 759a; narrow 658p; split 738s; tumor 661k
PEMPHIGUS, 597u,732b; etiol. & pathogen. 597t; ther. 602a
PENICILLIN, 573m,580a,635-l,670m,733q; activity 587-l,662-l; admin. & dos. 574d,602r,657w,668n, 689b,711m,749r; blood level 597v; determ. 701s; eff. 628q,673a,743v,754v,768n; G, eff. 752a; in abortions 677c; in allergy 671i; in beeswax 661q; in dent. 608q,614r,732n; in otology 622s; in peanut oil 661q; metab. 661h; procaine 753e; reaction 679q,754c; research 751p; resist. 674n,674t,738i, 796c; rickettsiostatic action 563j; skin tests 688m; sodium salt 661g; ther. 571o,573h,594g,595-l,599t, 603c,606a,608o,608p,608q,609g,609i,609j,609k, 611h,615m,620t,621a,621b,621u,626a,634a,653c, 667n,672i,678n,681s,682m,688v,691e,696g,697-l, 706i,712-l,718h,731-l,733k,734q,738c,739a,748n, 748u,754g,762u,765-l,771c,772-l,773q,774b,779b, 791o,791p,793a; tox. 582k,601p,652-l,688m
PENIS, circumcision 795a; congen. absence 794d; surg. 782r,796r
PENTDYOPENT, 741n
PENTOTHAL, 692s; exper. 563r; in schizophrenia 775t; psychoanal. asp. 789g
PEPSIN, physiol. 785q
PEPTIC ULCER, 690e,707q,735f,742f,743j,757u, 783i,793t; compl. & seq. 609m,688d,770h; diag. 589u,683k,688c,796j; etiol. & pathogen. 688c; exper. 565f,710h; hemorrh. 711b,711c; histamine-induced 689h; in pregn. 664j; pathol. 592q; research 687q; roent. 663-l; statist. 611k; surg. 635q,682q,688e,688f,711b,748c,766k,796h,796-l; ther. 571o,594k,595i,603a,663-l,667e,678m,688d, 744v,750q,764-l,770v,780n,793q,793v
PEPTIDES, determ. 656d
PERIARTERITIS, nodosa 689f,780g; diet in 654t
PERICARDIUM, chronic dis. 683v; inflamm. 661g,

781j; wds. & inj. 792s
PERINEUM, lacerat. 691s,795s
PERIODONTITIS, 734a; diag. 571t; surg. 571t,571u; ther. 571v
PERIODONTIUM, dis. 571r,571w,650n,670a,--compl. & seq. 621b,--in child. 649c; pathol. 650a; pockets 649t; ther. 571s,733h,734g
PERIOSTEUM, tumor 566c
PERITONEOSCOPY, 743-1
PERITONEUM, physiol. 683s,703a,721u; react. to oxidicellulose 793w; tuberculosis 596p,652u
PERITONITIS, biliary 613s; pelvic 583v
PERSONALITY, 787q; dis. 788k; dissociated 775u; immature 684n,787r; in constitution types 649n; in dyspeptics 684p; tests 787s
PERTUSSIS, compl. 782j; immun. 595f
PESSARIES, ring 590w,743q
PETROLEUM SOLVENTS, tox. 740f
PHAGOCYTES, activity 587h
PHARMACOLOGY, 688g
PHARMACOPEIAS, Austrian 626f; German 626e; Gt. Brit. 784k; Swiss 784p,784q
PHARMACY, 783w,784c; appar. 702k,784s; chem. 702d; compounding 701v; exhib. 783s; journals, German 702g; radiation, drying 702c; Sweden 701t; training 626g
PHARYNX, abnorm. 796w; abscess 781m; cancer 565w,683w; hemangioma 698j; inflamm. 749r; perf. 599n; surg. 622b; tuberculosis 600j
PHENOL, metab. 574k; solubility 702a
PHENOSALYL, tox. 767g
PHENOTHIAZINE DERIVATIVES, eff. 655v
PHILIPPINE FOWL DISEASE, immun. 715f; virus 564d,757r,757s
PHLEBITIS, postop. surg. 796f; pseudoembolic 793h; surg. 634d,634e,634k
PHLEBOGRAPHY, 793d
PHLORIZIN, diabetes 745e
PHOBIA, 617-1
PHOSGENE, tox. 563w
PHOSPHATASE, 616j,702s; alkaline 725f; rel. to malign. dis. 605n
PHOSPHATE, liberation of 564v
PHOSPHOLIPINS, in diabetes 565e; prep. 779o
PHOSPHORUS AND COMPOUNDS, 563c,624b,628j, 642p,751g,751p,786p; in blood 687o; in sea water 563d; metab. 754e; radioactive 642p,711o, 751g,754e
PHYSICAL EDUCATION AND TRAINING, 631n, 631o
PHYSICAL EFFICIENCY, 668e,631o; test 631m, 631q
PHYSICAL MEDICINE, 605b,688t,797p,797r,797t, 798a; psychiatric asp. 798a
PHYSICAL THERAPY, 797-1
PHYSICIANS, 586d,586j,631d,664a; Congo 663n; female 677q; industrial 740d; gen. pract. 688n; Jewish, hist. 670g; length of life 662q; psychol. asp. 788i
PHYSIOLOGY, 603u,604e,785c; appar. 656p,656q; hist. 745t
PHYTOTHERAPY, 678p
PICROTOXIN, eff. 561v
PICRYL CHLORIDE, 565g
PIGMENTATION, anthocyanin 737o
PILONIDAL SINUS, 599h,675w,679n
PINWORMS, 653-1,710g,760q
PINTA, 712-1
PIPERIDINE AND COMPOUNDS, 722r,737a,773b
PITUITARY GLAND, 736g; ant. lobe 701d; basophilism 610-1; dis. 576s,664k,775n; physiol. 576m,577e,578u,612b,642v,642w,643a,643c,643d, 655b,665h,750p; roent. exper. 655g; surg. 672m, 699h; tumor 607i
PITUITARY HORMONES AND PREPARATIONS. 576k,576n,576p,576q,576r,576s,576w,577a,577b, 577e,579a,579m,580m,627d,665i,671t
PLACENTA, chem. 561m; develop. 722k; extract 687c,708r; praevia 632q; premature separation 796m; weight ratio 770n
PLAGUE, bubonic 712o; control 712m; epidem. 712m; immun. 762j; vaccin. 712n
PLANARIAN, 643-1
PLANORBIS, corneus 724r
PLANTS, phyllopodes 724p; tumor 566c,591q
PLANTS, MEDICINAL, 625r,669a,706f,784j; cydonia japonica 784m; datura stramonium 626r; davidia involucrata 784t; harvesting appar. 626r; matricaria chamomilla 626r; raising 784d
PLASMA, protein level 754i
PLASMAGENE, 724h
PLASMODIUM, Africa, 798-1; berghei 798o; in rats 798o; malaria 713m,791r,798-1; velictum 713-1
PLETHYSMOGRAPHY, 703f,752o
PLEURA, dis. 633v; empyema 609g,609h,609i,633w; tumor 669k
PLEURITIS, exsud. 588b,607h,652u,717f; infants 623j; mediastinal 624k; ther. 799a
PLEXIGLASS, 651o
PNEUMATOSIS, cystoid intestinal 635r
PNEUMOCEPHALUS, 694d
PNEUMOCOCCI, antiserum 672r; bacteremic 755u; cholic acid eff. 740w; infect. 587-1; types 750o
PNEUMOCONIOSIS, 601t,676w,699c,716s; exper. 722b; pathol. 717d
PNEUMONIA, 716t,779u; atypical 779m; bacterial 756d; bronchial 681k; caseous 566a; compl. & seq. 624f; chemical 789s; etiol. & pathogen. 611e,752c; in mongoloids 705g; suppurative 633o; ther. 598v,608p,679r; virus 592k,754g
PNEUMONOLYSIS, review 633q
PNEUMOPERITONEUM, 575j,575-1; air embolism 799b
PLASTER OF PARIS, 608g
PNEUMOTHORAX, 609u,632v,635j,671q,716n,716r, 799a; comp. & seq. 748n; indic. 613d; postop. care 637v; spontane 785t
PODOPHYLLIN, 651g,652j,725o,764i
POIKILODERMATOMYOSITIS, 573f
POISONING, 749-1; statist. 700b
POLARISCOPY, 697a
POLAROGRAPHY, 656u
POLICE, health standards 735-1
POLIOMYELITIS, 596u,607s,680u,684r,689o,691f, 784f; Africa 713j; compl. & seq. 637d,774j; Cuba 713i; diag. 688o; epidem. & statist. 604c, 663r,667v,673j; exper. 672t,699r,705k,705-1, 705m,705n,705o; in pregn. 583m; laryng. asp. 689o; neurol. asp. 767m; pathol. 774c; physiol. 675j,786e; ther. 597-1,607p,608b,624t,683c,782v; tonsillectomy rel. 598w; transm. 598c; tropics 713h; virus 563t,564a,565r,683c,713k,770p
POLYCYTHEMIA, eff. 754-1
POLYMETHYLENE DIAMINES, 627c
POLYMYXIN, 755j
POLYSACCHARIDES, 752m
POPULATION, 705s; tropics 715n
PORCELAIN, 734g
PORPHYRIA, 608w,687v,758n; congen. 734k; folic acid ther. 607s
PORPHYRIN AND COMPOUNDS, 613f; metab. 591d, 612-1
POSTURE, 599h,761g,797w
POTASSIUM AND COMPOUNDS, 742w; arsenite 565h; defic. 754q,755s; eff. 693n,756d; metab. 703k,750v,771p
PRECIPITINS, 745c
PREGNANCY, 658i,665f,738c; care 590w; compl.

583m,583r,584o,584p,584t,590s,593m,620p,635s, 658b,664j,726k,738f,743o,765b,771j,779q,796k; corpus luteum rupture 664b; diag. 584j,687n, 780m; diet 702a; ectopic 583c,584u,658c,673s, 712b,758o,792k; gonadotropins 577-1,577n; heart in 567p; multiple 602a; physiol. 585g; prolonged 583u,738e; tocopherol 611b; toxemia 583h,584b, 584g,691t,738-1,751d; twin, hydramnion ther. 590s,743q; urine in 583d
PREGNANEDIOL, 578v,687n
PRESBYOPIA, correction 777r
PRESCRIPTIONS AND PRESCRIBING, 702f
PRESSURE, 599h
PREVENTIVE MEDICINE, 589r,790i; in hospital 613m; statist. 689n
PRIVINE HYDROCHLORIDE, exper. 778k
PROCAINE-PONTOCAINE SOLUTION, 723a
PROCTOLOGY, 673k,688r; ambulant 757w; biopsy 604k; U.S. 585f
PROGESTERONE, 578o,657j
PROGNATHISM, surg. 649i
PRONTOSIL, ther. 607c
PROSTATE, cancer 605o,606f,607e,634f,638s,638v, 709k,799u; hypertrophy 598g,717n; massager 736o; tuberculosis 799t; tumor 799s
PROSTATECTOMY, 682-1,717w,762g; in cardiac risk 670r; postop. care 717r; retropubic 591m, 592w,603m,717j; suprapubic 688n,717w,718a; transurethral 667o,717v,799r; transvesical 769o
PROSTITUTION, 735i
PROTAMINE SULFATE, 701a
PROTEINS, 581m,665a; admin. & dos. 675c; defic. 587m,744s,782p; exper. 657b; foreign 721f; hydrolysate ther. 595i; in diet 620f,689t; in lima beans 657k; metab. 578j,578k,751v,756f, 756h,776q; microbial factor 574m; surg. asp. 797d; ther. 570i,661n,782c
PROTEINURIA, postural 667-1
PROTEUS OX 19, in pregn. 779q
PROTHROMBIN, 750m; activation 563i; defic. 662g; determ. 574f; in pregn. 703t
PROTOZOA, metab. 735r
PRURITIS, anal 758g; seborrheic 573k
PSORIASIS, 573k,597q
PSYCHIATRIC CARE, Nebraska 761s
PSYCHIATRISTS, 695m
PSYCHIATRY, 596e,662o,662u,670o,688v,692p, 775e,775o; China 773r; forensic 694t; gen. pract. asp. 761d,765a; military aspect 773o; neo-jacksonian 747w; social asp. 775d
PSYCHOANALYSIS, 675e,695c,776c; hist. 774q; pentothal 789g
PSYCHOANALYTIC TOPICS, Poe's The Gold Bug 617k; poltergeist 775q
PSYCHOLOGISTS, 692m; U.S.S.R. 788q
PSYCHOLOGY, 618o,629a,629b,629e,692q,704c, 704e,704t,704w,724f,787k,787m,787v,787w,788i; appar. 787k,787-1; Catholic 788s; diag. errors 758f; exper. 704i,704j,704k,704o,704p,788c, 788f; factor analysis 788o; flicker frequency 788q; given names 789c; groups 618e,788m; judgment scales 788v; intelligence 789h; methods 694a; nonsense syllables 787g; objective tests 788p; occup. stratification 788s; perception 788u; reaction-adjustment 788n; Sabath observance 789c; social 618o,618q,789a,--statist. 788w; tests 704q,788b,788j; vision 787h; weight 787f
PSYCHOPATHIC PERSONALITY, 617a,773p; conscience 692-1; sexual 735-1
PSYCHOPATHOLOGY, 694t; anonymous letter writing 617s; criminal 694t; social 735j
PSYCHOSES, 671-1,773p; involutional 618u,774e; olfactory sense in 617m; sexual 773v
PSYCHOSOMATIC MEDICINE, 607b,637i,652h, 670c,684n,684o,684q,694v,746w; in hospitals 570b
PSYCHOSURGERY, 588r,694r,743m,774t; compl. & seq. 795o; results 617d,617f,686o,788e,--in schizophrenia 618a
PSYCHOTHERAPY, 618o,692u,746w,773h,775w; adolescence 692j; child. 692i,692j,692k; group 692-1,695b,775v
PSYCHOTICS, recreation 775i; sterilization 773q
PTEROYLGLUTAMIC ACID, 656g,675-1,753c
PUBERTY, precocious 575w
PUBIS, obst. asp. 599k
PUBLIC HEALTH, 596u,596v,618s,618u,629q,630-1, 631d,663v,706b,764b,790n,790o,790p; admin. & org. 616-1,630k,689m,689n,705r,776j; Canada 613m; child guidance 692o; China 715o; epidem. & statist. 790d; Greece 716r; Guatemala 630w; infectious dis. 792d; inspection 790m; lab. serv. 790j; legislation 594m,790-1,791e; New Jersey 674d; nursing 618t; Philippines 758h; physicians 686k,689-1; Switzerland 789s,789t; Texas 689m; training 715i; tuberculosis 789q
PUERPERIUM, compl. 584e,658m,738r; septicemia 658h
PULMONARY ARTERY, abnorm. 600-1,603i; surg. 685h,711k,711-1,711v
PULMONARY SULCUS, tumor 598b,671k,758g
PUPILS, abnorm. 620u
PURPURA, anaphylactoid 608v; etiol. & pathog. 691e; radiother. 660u; rheum. in child. 660v; thrombocytopenic 672k,690-1,760g,766b
PUUSSEPP'S OPERATION, 635c
PYELOGRAPHY, 600n,717i
PYEMIA, 760e
PYKNOLEPSY, 624d
PYLORUS, cancer 610i; stenosis 625i,674a,761-1; surg. 593d
PYRAMIDAL TRACT, dis. 687f; physiol. 693q; surg. 779j
PYRIBENZAMINE, 641h,721i
PYRIDINIUM COMPOUNDS, 737a,773f
PYRIDOXINE, defic. 693d,745e
PYROGENS, 630c,746-1
PYRUVATE, metab. 754m
Q FEVER, 660t,713c
QUACKERY, Canada 613p
QUADRONAL, tox. 630d
QUINIDINE AND DERIVATIVES, 672k; ther. 643t, 643u
QUININE, iodo-bismuth 747-1; tox. 767g
QUINOLINE DERIVATIVES, 713t
RABIES, control 713-1; vaccine 582-1,--inj. eff. 615v
RADIATIONS, in med. 725u; infra-red.702c; measur. & regist. 586q,656q,656s,656u; microwave 672a; sensitiveness 765t; ultraviolet 797-1; ther. 594w,718g
RADIOACTIVE SUBSTANCES, 628j,707m,752h, 752p,752w,773b; in cancer 769a
RADIOACTIVITY, 656q,656u
RADIOGRAPHY, 632k,708e,716j; blood vessels, cranial 708e; dental 708b; film developer 708c; positioning 708b; sectional 608a,770j; soft tissue 708d
RADIOLOGISTS, training 707r
RADIOLOGY, 771d
RADIOPHOTOGRAPHY, 632h,632i
RADIOTHERAPY, 584-1,632j,637f,638s,674o,767j, 796m; dosage 718g; indic. 726j
RADIUM, ther. 675p,777j
RADIUS, disloc. 634v
RADON, 590i,777-1
RAPE, medicolegal asp. 764f
RATS, control 625p; extermination 631u; reproduc-

tion 643o
RAYNAUD'S DISEASE, 765n
READING, vibration eff. 787i
REALISM, dis., psychoanal. asp. 617p
RECTOSIGMOID, diverticulitis 680g
RECTO-SIGMOIDECTOMY, 684e
RECTUM, 667p; biopsy 604k; cancer 668e,726a, 770e,795r; dis. 744w; exam. 789p; fistula, surg. 635h; hemorrh. 766a; polypi 680b; prolapse 684e; resection exper. 710r; surg. 746o; temperature 664d; tumor 684f,686k
RECTUS ABDOMINIS, abnorm. 623b
REFLEX, food 741t; eff. of trauma 636f; rectal 766w; respiratory 657d; reversal 785j
REGRESSION, 611k
REHABILITATION, med. 605u; psychiatric 695d; service 758a
REITER'S SYNDROME, 615k,624p,759-1
RELAXATION, ther. 788k
RENIN, physiol. 703q
RESINS, 732o; acrylic 733j,--surg. asp. 747u; synthetic 793q
RESPIRATION, 591c,593p,703s.745r,745u; artif. 589m; bibliogr. 745s; eff. of posture 710o; immature lung 633c; in animals 745u; physiol. 632v,657d,736d,745t.785d
RESPIRATORS, in Sumatra 745v
RESPIRATORY TRACT, cancer 597w; dis. 598v; in animals 745u; infect. transm. 599s; secretion 755g
RESUSCITATION, 770u
RETICULOCYTES, form. 741a
RETICULOENDOTHELIAL SYSTEM, 699i; cell block 563p; dis. 685q; hyperplasia 659a; tumors 770f
RETINA, anat. & histol. 722f; angioma 696b; cyanosis 674k; detached 589e,695v,772m; dis. 620p; edema 696i; pathol. 687b,697k; pigment degen. 620r,687c; tumor 777-1
RETINENE, in vit. A 628r
RETINITIS, 620w; diag. 687b; pigmentosa 687a, 687b,--simul. 687b
RETINOCHOROIDITES, juxtapapillaris 615t
RETROPERITONEUM, tumor 604f
RHEUMATIC FEVER, 603e,624r,687-1,750e,755a, 770m; diag. 666j,668f; duration 753g; etiol. & pathogen. 749t; in child. 625a; ther. 603t,609a
RHEUMATISM, 581r,611q,680v; chronic 616q; compl. & seq. 592-1; etiol. & pathogen. 686t; psychosom. asp. 616q; ther. 600h
RHINITIS, etiol. & pathogen. 601m
RHINOSCLEROMA, ther. 698a
RHUS, toxicodendron 586n
RIBOFLAVIN, defic. 776w
RIBS, abnorm. 588n; cancer 739a; Harrison's grooves 664e
RICE DIET, 749p; nitrogen balance 755-1
RICKETS, 668t,699v; cranium in 700e; diag. 664e
RICKETTSIA, 672o; prowazekii, exper. 705c; Switzerland 610w; U.S. 689p
RICKETTSIAL DISEASES, 589u; ther. 772o
RINGWORM, 597r
ROCKY MOUNTAIN SPOTTED FEVER, 595o
ROENTGEN RAYS, 581c; appar. 656o; diag. 712k; eff. 582r,723g,724u; hormones 655g; in exper. leukemia 565h; inj. 632o,680c,707k; ther. 677q, 777j
ROENTGENOGRAPHY, 707t
ROENTGENOLOGY, 585w; appar. 570p
ROENTGENOTHERAPY, 640d,707k,707-1
RORSCHACH TEST, 694a,775p; in child. 775n
SACRUM, tumor 625f
SAILORS, 689b
SALAZOPYRINE, ther. 769i
SALICYLACETONE, 725b
SALICYLATES, sodium 609a,745d,609b
SALIVA, acetylcholine 700q; physiol. 582b
SALIVARY GLANDS, calculi 732a,745q; tumor 632g
SALMONELLA, blegdam 604-1; manchester 630u
SALMONELLOSIS, 604-1,631b
SALMONELLA, inf. 682r,763-1; animals, Puerto Rico 715h; West-Java 605g
SALT, metab. 753-1
SAND, ther. 795g
SAND FLY, phlebotomus 715q
SANITATION, 706g
SAPONIN, 783u
SARCOIDOSIS, Boeck's 633e; etiol. & pathogen. 652u; pulmonary 691c
SARCOMA, 685i,734o; broad ligament 738b; fibro- 566c,591o; infective 566s; lympho- 566b,774p; myxo-566i; osteogenic 717o; reticulo- 653a; rhabdomyoblastoma 769c; schwanno- 566t; statist. 567d; ther. 605c
SCABIES, 715u,759g; bullous eczema 759g; diag. 615q; ther. 653c
SCALENIOTOMY, 599f
SCALENUS SYNDROME, 792w
SCALP, 709k; ther. bases 783h; tumor 597t,674o
SCAPHOID, pseudoarthrosis 607v
SCAPULA, surg. 798v
SCARLET FEVER, 613o; compl. & seq. 698f; epidem. 616b; immun. 761t; ther. 607c
SCHICK TEST, 599g
SCHISTOSOMA, mansoni 705i,714m
SCHISTOSOMIASIS, 638r,714-1; epidem. & statist. 714n; in animals 715g; japonica 779p; prev. & control 714-1; urinary 757b,757h
SCHIZOPHRENIA, catatonic 679m,744g; diag. 775t; hyperglycemic factor 774u; surg. results 618a; ther. 776b
SCHOOLS, 604v; architecture 790g; health 706a; sanitation 706c
SCHWARTZMAN PHENOMENON, 755t
SCIATICA, 745n; surg. 593r; ther. 748f
SCIENCE, 681n; Canada 614b; languages 655p; U. S. 690n
SCISSORS, corneal 696h
SCLERODERMA, 597o,754t
SCLEROMA, 666m,681s
SCLEROSIS, amyotrophic lateral 618d; multiple 561g, 593q,658c,681w; tuberous 573d
SCOPOLETIN, 562o
SCOTOMA, 696a
SCROTUM, lipoma 718b; surg. 796r
SCURVY, 597g
SEA URCHIN, physiol. 628e
SEMEN, in bulls 702s
SEMINAL VESICLE, inflamm. 792g; lavage 742v; transpl. 565s
SENEAR-USHER SYNDROME, 579c
SENILITY, male 655e
SENSATION, cutan. 794q; threshold 580e,642i
SEPTICEMIA, meningococcal 662i,664c; proteus vulgaris 660q; staphylococcal 660r,665u
SEROLOGY, 691c
SERTOLI'S CELLS, 753d
SERUM, antireticular cytotoxic eff. 763n
SEWAGE, filtering 707a; indust. 707c,707d; odor control 632e; treatment 632c,632d,707b,707e
SEX, 639j; education 677r; perversion 609s,617j
SHIGELLA, 653t; culture 671g; dysenteriae 705g; guanabara 670p
SHIGELLOSIS, 653t; in mongoloids 705g
SHOCK, fatal 665j; fever in 634a; hemorrh. 764g; surg. 607t,636n,708s
SHOCK THERAPY, 618w,695n,696n,747g,773n,774e, 776b; insulin 597d,775s
SHOCK THERAPY, ELECTRIC, 594h,597d,692v,774w, 775r; compl. & seq. 578h,618b; failure 774a; in

pregn. 680w; indic. 571m
SHOULDER, abduction-contracture 635i; pain 671q
SIALOGRAPHY, 632g
SIGMOID, volvulus 603g
SILICOSIS, 740a; blood 659d; prev. 586w; ther. 798t, --appar. 740k
SILVER AND COMPOUNDS, 733n; metab. 755-l; nitrate 573o
SINUS, PARANASAL, allergy 671h; cancer 635o; cyst 698-l,731k; dis. 697s,698m,731c,732w,742u, 762p,762r,778m; drainage 778q; in child. 699q; maxillary 572s; penicillin 779b; perforation 572j; roentgenther. 758u; sphenoidal 598w,743b; surg. 779f,779h,--tantalum tubes 667b; tuberculosis 778-l; tumor 595e,621r
SINUS, VENOUS, cerebral thromb. 778g,779g
SJÖGREN'S SYNDROME, 696n
SKIN, allergy 721n; cancer 573u,573v,573w,587s, 759w; dis. 590o,601i,606f,652d,652s,652w,653d, 653e,653f,674m,675n,675o; disinfection 573r; epithelium 736i,--removed 636j; fungus dis. 588b; immunity asp. 626b; inflamm. 639i; lead penetration 740m; leiomyomata 667i; lesions 740i; melanoma 779n; oxygen tension 754o; parasites 625q; physiol. 611b; precancerous lesions 675s; psychosomatic asp. 652h; purpura 766c; radiother. 734j; sarcoma 653a; temperature 750c; test 588-l; transpl. 634u,651w,676g,708o,745k,782r,793-l, 797b; ther. 666i; tuberculosis 597n,635u,637w, 652j,652r,684d,--Palestine 749k; tumor 597r; ulcer 684f
SLEEP, hypnagogic phantasies 789e
SMALLPOX, 592-l,630r; epidemic 716g; vaccination 606t,713e
SOCIAL INSURANCE, 572c
SOCIAL MEDICINE, 616v,764t; U. S. 764u
SOCIAL SECURITY, 596o,662o; France 662p
SOCIAL SERVICE, 735v,736b; marriage educ. 735w; mentally retarded 736a
SOCIAL SURVEYS, 616w
SOCIAL WELFARE, 790q; Canada 614c; med.-legal asp. 735k
SODIUM, 752f; acid phosphate, eff. 800c; alginate, tox. 792v; bicarbonate 752f; chloride 628q,755r; determ. 579h; eff. 756d; estrone sulfate 564o; hyposulfite, ther. 748a; metab. 576m,579h,703k, 754i; oxalate 564f; tartrate 742s; thiosulfate 580p
SOLDIERS, disabilities 684p
SOUND, high frequency 598i,616o,628-l,642f; pitch 787d,787f
SPARTEINE, eff. 700u
SPASM, nocturnal, idiopathic 746b; tetanoid 590h
SPECTROMETRY, 656r,656t; photography 574q
SPEECH, 608m,704u,788d; defects 597j,608k,775p; dis. 730t; physical ther. rel. 798f; ther. 608-l
SPERMATOZOA, form. 768r
SPHINCTER MUSCLES, anal 603s; Oddi's 609-l; tonus 799w
SPHINGOMYELIN, eff. 672v
SPINAL CORD, anat. & histol. 722e; compression 617t,774p; develop. 618h; dis. 665-l,724a; physiol. 785-l; surg. 694d,694o,709o; tumor 693v,762e; wds. & inj. 716d,748e
SPINE, abscess 665m; ankylosis 616j; appar. 736r; curvature 616j,632o; develop. 721p; echinococcosis 668h; intervertebral disks 613q,616r,664q, 676v,723j,760m,766w,774o; surg. 694o; syphilis 597u; tuberculosis 769k
SPLEEN, 739n; dis. 706h; duodenum relation 610o; endocrine asp. 739m; enlarged 691b; hypertrophy 664i; roent. 594r; rupt. 604d,--infants 624s; surg. 595v,764r,795b; syphilis 691c
SPONDYLARTHRITIS, 592-l,689g; ankylopoietica 689g
SPRUE, 752g; blood in 668n, bone marrow in 668n; compl. & seq. 715a; tropical 575e
SPUTUM, bact. 680n; exam. 766q
STAINS AND STAINING, 736-l
STAPHYLOCOCCI, 628q,741b,754v; aureus 565n; fibrinolysis 563n; infect. 683u; inhib. 563n; septicemia 781a
STARVATION, 690j; eff. 619p,749n,782d
STEREOCHEMISTRY, 568f
STERILITY, 664o,666k,741d,767a; diag. 585b,585c; endocr. asp. 711w; etiol. & pathogen. 585a,585c; matrimonial 584f,747t; male 718c; neurol. asp. 711w; psychol. asp. 711w; ther. 678s,709t
STERILIZATION, formulae 659m
STERILIZATION, SEXUAL, fem. tech. 666m; postpartum 745j
STERNUM, abnorm. 652s; sarcoma 566q; tumor 652s
STEROIDS, 578d,578e; chem. 657h; determ. 579c, 579d,579e; metab. 654o
STILBESTROL, absorption 800a; eff. 578v,700p; ther. 749i
STIMULUS THERAPY, 773n
STOMACH, acidity 735f,760h; bact. 680n; cancer 566p,567f,567h,576u,588h,592r,593h,597q,615q, 637b,661j,663-l,666p,667f,668q,672j,711d,726j, 747e,752p,760a,793t,795w; dis. 587v; diverticula 575f; emphysema 575j; hemorrh. 583r,672a; inflamm. 588u; invag. 792g; inversion 707o; physiol. 603a,635p,702v,703a,752q; postop. compl. 596b; prolapse 610c; retention 707q; sarcoma 612q; secretion 628g,653k,702t,769r,--nocturnal 793t; surg. 614e,635a,711d,796i; tumor 588u,766r; volvulus 634j,634m
STOMATITIS, 740s; ulcerosa 649w,762w; ulcero-membranous 677i
STRABISMUS, 678g; anat. etiol. 695u; convergent 768t; in child. 673n
STRATIGRAPHY, 707r
STOMATOLOGY, biopsy 570f
STREPTOCOCCI, 750e; alpha 565-l; hemolytic 594v,616a,749t,755a,757n; hyaluronic acid 587c; infect. 611h,662-l,753g,755h; moniliformis 564k; virulence 587d
STREPTOLYSIN, 757-l
STREPTOMYCIN, 601-l,604r,681e,733g,741p,762i; admin. & dos. 574d,711m; allergy 595c,721-l; determ. in serum 574r; eff. 563o,669u,770a; in gyn. & obst. 617-l; in ophth 620o; pharm. 681c, 755m; resist. 754k; ther. 588g,588s,589c,589q, 595i,603-l,604s,606w,611h,611m,612u,623p,624-l, 638d,666g,669r,669s,669t,673k,675q,679h,679j, 679v,681d,681e,682n,682u,684c,687d,687j,695q, 698a,717c,718d,718e,744a,749h,758o,772g,772-l, 782c,798w; tox. 588i,621c,664i
STRETCHERS, stand. 599o
STROMBIDIUM, oculatum 724o
STROPHANTHIN, eff. 771v
STRYCHNINOS, alkaloids 656h; lucida 562-l
SUBTILIN, eff. 574c,753r
SUCCINATE, oxidation 689h; ther. 603t
SUDECK'S ATROPHY, 605c
SUGAR, chem. 771w; metab. 702n
SUICIDE, 775k
SULFADIAZINE, 595d; admin. & dos. 782h; in abortions 677c; pharmacol. 755m; ther. 589q
SULFAMERAZINE, 595d; admin. & dos. 782h; ther. 595-l
SULFAMIDES, admin. & dos. 612o
SULFANILAMIDES, ther. 621p,739a; tox. 653b
SULFATHIAZOLE, eff. 665v; ther. 583n
SULFONAMIDE, 639j,684j,783o; blood level 608c; carcinogenic eff. 564q; eff. 625e,785m; exper. 686v; resist. 674t; ther. 569v,583v,608p,612t, 622c,622h,639i,685o,712o,768r; tox. 652a,686r
SULFONES, pharm. 752t; ther. 588g,670t

SULFUR AND COMPOUNDS, dioxide 626m,700t; metab. 753p; mustard 611s; ther. 748a
SULPHA GRANULOMA, 773f
SULPHETRONE, 599i; chemother. 599q; ther. 599j,599q,660k
SUPERSTITIONS, med. 745u
SUPPOSITORIES, 675f
SUPRONAL, ther. 760v
SURFACE TENSION, 783-1
SURGEONS, 675u,678b
SURGERY, 668a; appar. 601-1,616o,709f,736s, 736u,736v,737f,765q,777g; blood in 622i; chemicals, labelling 711p; postop. death 597-1; educ. 710t; indust. 740n; Italian 635e; operating rooms 636o; plastic 614q,671p,684d,710m, 794-1,796p,796q,796r,796v,797a,797b; tech. 711p, 736v; training 794c; U.S. 603k,604b
SUTURES, Kourliansky 733m; materials 608e
SWEAT, electrolytes 751k; excess 606v; palmar 652i
SWEAT GLANDS, tumor 652e
SWIMMING POOLS, Belgium 742d; disinfect. 790u
SYMPATHECTOMY, 598t,614a,636f,678h,679-1, 711g,726q,726r,752s; compl. & seq. 795m; eff. 711h,754a; review 675g
SYMPATHICOGONOMIA, 699m
SYMPATHIN, 627v,627w
SYMPTOMATOLOGY, 746n
SYNCOPE, cardiovasc. asp. 601d
SYNDACTYLY, ther. 794g
SYNOSTOSIS, 667u
SYNOVIAL MEMBRANE, physiol. 703j
SYPHILIS, 573g,597o,712-1; atypical 615o; bibliogr. 601h; congen. ther. 762a,762b; diag. 652g,690c, 718k,745o; diff. diag. 635u; etiol. & pathogen. 597u; exper. 565t,771-1; Herxheimer reaction 752a; in Negroes 770o; mouth 734d; nasal deformity 794m; occult 772a; pseudoparalysis 781a; pulmonary 663c; renal 644h; secondary 597m; serol. 572w,573h,653n,734u; tertiary 597u; ther. 597i,626a,631i,667n,672i,682m,688v, 712-1,771c
SYRINGOMYELIA, ther. 599f
TABES DORSALIS, 660p; foot 674-1; ther. 774b
TACHYCARDIA, 589m,601e,602d,610h,669b; exper. 756g; paroxysmal 746m
TAENIA, saginata 623a
TALIPES, ther. 598-1
TANNIC ACID, eff. 752q; ther. 795e
TANTALUM, microscopy 721r
TASTE, physiol. 627s
TEETH, aberrant 648o,731q; abnorm. 649d,650q, 650s,732c; abscess 648c; anat. & histol. 572t, 731f,734f; anthropol. asp. 650s; bleaching 647u; crowns & bridgework 648i,651d,651i,731v; cyst 731g; deciduous 572a; develop. 570w,732e,732s, 733t; diastema 650n; dis. 647v,647w,748u; enamel 572h,649n,732q,733p; extraction 570r,571d,572b, 650-1; fillings 569s; gangrene, ther. 650o; gingival sulcus 648b; impacted 569s,648o; implant. 572f; impressions 732d; in diabetics 731f; molars 572a,651f; pain, folklore 571-1; pigmentation 648p; prostheses 569q,570a,570d,570q,570t,571h, 572e,572o,647s,648g,648k,648-1,649o,650m,651i, 731b,731p,732-1,732o,733h,733j,734g,756t; pulp 569v,570r,572h,731r,732k,733r; replacement, immediate 731s; roent. 732b; root 572i,572k,572r, 614r,647t,648d,650p,731j; surg. 648m; tumor 732h,780s
TELANGIECTASIS, 749i
TEMPERATURE, eff. on nerves 693-1
TEMPERATURE, BODY, 654s,797n; appar. 657m; changes in women 575s; determ. 576g; eff. of steroids 576h; endocrin. asp. 575r,576g,579k; regulators 750s
TEMPORAL BONE, apicitis 762t; cancer 779d; eosinophilic granuloma 698k; roent. 762s
TEMPOROMANDIBULAR JOINT, 731n; ankylosis 794p
TENDONS, peroneal 691w; rupt. 690o; sheath, infect. 795b; surg. 708w; transpl. 673h,748t,772h
TEROPTERIN, 701v
TESTIS, cancer 577-1; dis. 577s,795a; esterase 757m; embryoma, in child. 709c; parotid. inflamm. 718a; surg. 594p; tumor 594p,639f,707-1, 799u; undescended 575v,800e
TESTOSTERONE, 595w
TETANUS, 602b,699t; etiol. & pathogen. 762j; immun. 590f; ther. 615b,684t; toxin 757o; toxoid 603o,705h
TETANY, 592j,683e; etiol. 599p; infants 623g,782u;
TETRABROMTHYRONINE, pharmacol. 755d
TETRAETHYL AMMONIUM CHLORIDE, 751d; eff. 575g; ther. 588k
TEXAS CITY DISASTER, 770r
THALAMUS, physiol. 681m
THALLIUM, determ. 627e
THEPHORIN, 679q,680a
THERAPEUTICS, 688g,737c,761h; control 743q; electronic 691k; progress 590b
THERMOPILE, 797n
THERMOTHYRINE A, secreyion 580m
THESAURISMOSIS, 741j
THIAMIN, in beans 619t; in Punjab wheat 662b; metab. 575i
THIOCYANATE, sodium, eff. 643-1
THIOSULFATES, ther. 588b
THIOUREA AND DERIVATIVES, 579-1,667k,679o, 789n,791v; admin. & dos. 590k; eff. 578k,590j, 654c,654j,654u; pharm. 701c; ther. 578n,602i, 664g,664h
THORACOPLASTY, 638i,798u; indic. 613d
THORAX, 799j; gangrene 797a; lesions 633-1; pain 726o; surg. 596r,596s,633n,633r,641-1,671p,798w; tuberculosis, 745h; tumor 600a,685i; wds. & inj. 686q,690u
THRASHER'S DISEASE, 607j
THROAT, infect. 755a
THROMBIN, 672a,781w
THROMBOANGIITIS, obliterans 679p; cerebral 761i
THROMBOPENIA, 615q,625f; exper. 585o
THROMBOSIS, 662f,746r; coronary 780t; iliofemoral 727a; mesenteric 667c; postop. 674g; sinus 622o; ther. 602v,605e,613g,769k; venous 600c,662u,670s, 676c,682b,688h,709p,771g
THUMB, plastic surg. 794n; prosthesis 638a
THYMOL TEST, 655v
THYROBROM, ther. 677h
THYROID, antagonists 666d; cancer 655d,711n; diag. signif. 578k; dis. 578m,712d,764o; extract, eff. 702q; hormone, eff. 578j; hyperfunction 577f,590j, 666d,667k,668-1,670r,746f,749b,752h; hypofunction 677h,752w; in trout 643p; inhibition 755d; iodine 563p; pathol. 577g; physiol. 577d,577g,577h,578k, 578-1,580n,643p,654m,655b,702q,751o,755o,756-1; syphilis 734q; ther. 579m,774s; tox. 575q,578n, 664g; tumor, pathol. 751o
THYROID CARTILAGE, disloc. 740s
THYROIDECTOMY, 609p,641o,668-1,672m; appar. 604k
THYROPROTEINS, eff. 654v
THYROTROPIC HORMONE, 577b,577d
TIBIA, absence 721p
TIC, 692n; douloureux, ther. 570h
TICKS, 715t
TINEA, barbae 597r
TINNITUS, 762r
TISSUE, CO_2 content 783m; dry celloidin tech. 653k; malignant 595q; metabolism 703r; sympathicomimetic substances 627v; ther. 635a; tox. 696s;

tumor cells 769a
TITANIUM, pigments 697b
TOBACCO, eff. 750q
TOBINAL, narcosis 607f
TOCOPHEROL, determ. 611b
TOMATOES, frost resist. 582u
TONGUE, hypertrophy 710r; plastic surg. 794k; taste buds 627s; tumor 734s; upfolding 737u
TONOMETER, calibration 776u
TONSILLECTOMY, 598w; blood in 622i; compl. & seq. 763a; exper. 705o; hemorrh. 610b; poliomyelitis rel. 689o; U. S. 697s; vomiting 779c
TONSILS, 590a; bacteriostatic eff. 622m; infect. 778i,791n; phlegmon 691e; tumor 622m,--malignant 759n
TOOTHBRUSHES, 648r
TORTICOLLIS, congen. 691o
TOXEMIA, 755v
TOXICOSIS, endogenous 749e
TOXOIDS, 757o,782g; tox. 669r
TOXOPLASMOSIS, 640c; chemother. 770s
TRACHEA, abnorm. 771k; cancer 698b; surg. 710d
TRACHEOSTOMY, appar. 723c
TRACHOMA, China 745j; inclusion bodies 697-1
TREMOR, hered. 618i; static, exper. 693m
TREPHINATION, 777c
TREPONEMA, pallidum 705p
TRICHODINA, branchicola 563f
TRICHOMONIASIS, vaginal 583p,759k
TRICHOSTRONGYLUS, infection 574o
TRIDIONE, tox. 782e
TRIGONE, prepuberal 658g
TRILENE, 743k
TRIMETON, 721g
TRIPHENYLCHLOROETHYLENE, 579-1,654n
TRIPHENYLTETRAZOLIUM CHLORIDE, 582i
TROPICAL MEDICINE, dis. 678e; Africa 712f; America 712g; Europe 712g; milit. asp. 759q; missions 715k; ophth. asp 761k; publ. health asp. 715i; research 715j; surg. asp. 758k
TROPICS, acclimatization 712h
TRYPANOSOMA, lewisi 587f,587g
TRYPANOSOMIASIS, 716i; chemother. 626k; equine 715e; prev. & control 714r,714s
TRYPSIN, activity 565c
TRYPTOPHANE, 689d
TSETSE FLY, 715s
TSUTSUGAMUSHI DISEASE, 715u; ther. 772t
TUBARINE, 599g.607f
TUBERCLE BACILLI, 680n,783a,783c,799e; culture 631e,672v; exper. 799c; growth 563o
TUBERCULIN, 752b,799i; reactions, 565p; sensitivity 700b; test 685d
TUBERCULOMA, 629s,770c; intramedullary 606-1; pulmonary 606o
TUBERCULOSIS, 599f,629s,638g,663t,666a,679j, 680f,712j,767i,773g,799h; B.C.G. vaccine 590d, 602w,629j,665c,707g,715m,765e,769n,783c; biochem. 758-1; bovine 717b; British W. Indies 715e; chemother. 599q; control 689p,716r,798t; dent. asp. 570o,731j; diag. 601r,676e,680n,738t, 762h,--diff. 635u; epidem. & statist. 716m,736d, 747d,798k; exper. 613q,752t; France 771a; fulminating 638k; Germany 638j; in nurses 605j; in pregn. 584e; India 715m; inhibition 757o; Jamaica 715-1; meetings 789q; miliary 669t, 674k,684d,687d,753r,775m; mortal. 791k; paranasal sinus 778-1; pathol. 749h; Peru 686d; psychol. asp. 631e; roent. 632a; sanatoriums 572g, 742v; soc. asp. 660e; soc. serv. 686d; South Africa 715m; sputum 762h; surg. 638i,716o; ther. 574c,599q,600b,603-1,604r,611m,666g,669t, 673k,681e,685o,687j,717c,760n,772g,799k; transm 623h,638b,659v,717b,791c
TUBERCULOSIS, PULMONARY, 599j,599-1,638h, 665d,676t,679a,679d,686q,712k,738f; bilateral 638d; cavities 638e; compl. & seq. 765o; control 742c; etiol. & pathogen. 717e; fever in 591d; Galen's opinions 593s; in child. 685f; pathol. 717d; progn. 637u; rehab. 797q; surg. 635t,685f; surveys 615w; ther. 588s,597c,601u,612u,621c, 662s,675q,682n,744a,770a
TUBULARIA, morphogenesis 722j
TULAREMIA, 764c; North Carolina 630n
TUMORS, 567i; adamantinoma 570j; adenocarcinoma 603p,603q,603v,799p; adenoma 566f,566s, 580p,591p,686k,756s; adenomatoid 780i; adenomyoma 796d; angioblastoma, cerebral 693e; angioma 652s,696b; arrhenoblastoma 726h; astrocytoma 781f; bladder 717t; brain 656a,777w; cells 769a; cementoma 649r; cerebellopontile 746u; chloroma 566f,591s; cholesteatoma 622j; chordoma 793n; chorioma 614d,737w; corpus callosum 663c; cylindroma 674o; cystadenocarcinoma 603p; diag. 738o; diet 776m; embryoma, in child. 709c,--Wilm's 717j,717o; enzymes in 582i; ependymoma 774g,781d,781e; epithelioma 597s,597t,707k,734s; Ewing's 678i; exper. 580p, 591r,725p,725q,770-1; fibrosarcoma 604f,698i, 698k; foreign body, giant cell 698i,--ther. 796m; glioma 781c; glomus 615c,779g; granuloblastoma, cerebellar 693d; granuloma 709h; head & neck 732d; hemangioma 621r,698j,708t; radium ther. 635o; hypernephroma 635m; in animals 800j; leiomyofibroma 680i; leiomyoma 667i; lipoma 766r; lymphoadenoma 613q; lymphoblastoma 739-1; lymphocytoma 567j; lympho-epithelioma 622m; lymphosarcoma 676n,725t; malign. 575h,726c,772c; maxilla 649h; meduloblastoma 781b; melanoblastoma 597v; melanoma 684f, 696g,779n,--simul. 651q; meningioma 726f,762p; mesodermal 685d,685g; mesothelioma 669k; metast. 583q; monoblastoma 699m; myeloma 605r,741-1,762f,774d; myoblastoma 717d; myxohemangioma 620s; nasopharyngeal 684a; neurinoma 768u; neuroblastoma 692a,799p; neurofibroma 621o,728a,799s; odontogenic 570m,780s; oligodendroglioma 774g,774i; orbit 696j; osteochondroma 675a; osteogenic 717o; Pancoast's 598b,671k,678k,758q; papilloma 639a,771d; plants 591q; progn. 770-1,799u; psammoma 742q; renal pelvis 795i; reticulum cell sarcoma 756v; retinoblastoma 777-1,781g; roentgendiag. 606h; sarcoid 633e,633f; seminoma 566r,634t; simul. 687c,687d,--histol. 687c,687d; soft palate 651e; surg. signif. 792o; sympathicogonomia 699m; teratoma 742n; testis 639f; ther. 632j,632k,691-1, 747b; thorax 613p; transpl. 793f; vascular 693v
TWINS, congen. nystagmus 681n
TYPHOID, 798k; compl. & seq. 590g,599e,760e; control 712p; electrocardiography asp. 726w; immun. 705h,756u; serodiag. 591k,612r; tachycardic 612q; ther. 585r,589r,747-1; U.S. 595k
TYPHUS, 716k; control 631-1,715v; epidemiol. & statist. 631h; Mexico 713b; serodiag. 593g; vaccination 713c
TYPHUS-LIKE DISEASES, 745h
TYROSINE, derivatives 754d
TYROTHRICIN, dent. surg. 649j; eff. 652f,742t; ther. 583p,594j
ULCERS, 609e,766i,766-1; gastrojejunal 763q; phagedenic, tropical 798i
ULNA, fract. 634v
ULTRAVIOLET RAYS, 765u; eff. 628e,654-1
UMBILICAL CORD, short 584a
UNDULANT FEVER, 716f; diag. 612m; exper. 755m; in child. 610a; ther. 742t,757u,758o; transm. 747i; vaccine 769v
UREA, clearance 800b; pharm. 680o
UREMIA, acute 743c; etiol. 580m,595r; exper. 710k;

ther. 682j,683s,688t,710k
URETER, abnorm. 717p; calculi 676a,682k; cancer 800e; dilat. infants 638u; ectopic 717q; physiol. 562s; roent. 792g; schistosomiasis 638r; sphincter 638n; surg. 613v,615s,638o,638s,717p,717r; tumor 639b; wds. & inj. 717r
URETEROCELE, roentgen picture 792h
URETHANE, eff. 739j; in exper. leukemia 565h; pharm. 725m; ther. 659g,690f,739h,739i,765t
URETHRA, abnorm. & deform. 794e; cancer 717-1; roent. 717i; smears 579n; stenosis infracollicular 700e; surg. 634-1,676a,795j; tumor 639d
URINARY TRACT, calculi 765r,--in child. 782q; dilat. 765b; dis. in Palestine 670i; exam. in child. 744n; infect. 583n,718d; surg. 670s,799n; tuberculosis 718e; tumor 606h
URINATION, incontinence 682k,748d; retention 635c
URINE, adrenal metabolites in 576v; amidine 771r; bilirubin 574r; erythrocytes 574p; in stallion 577o; ketosteroids 655e; polymyxin 564g; pregnanediol 599c; sampling appar. 736q; 17-ketosteroid 564n, 564o,655j; sodium compounds 583d; sterile pus 673q; steroids 579d; suppression, traum. 683t; ther. 621s; typhoid fever 665v
UROBILINOGEN, 737f
UROGENITAL ORGANS, abnorm. congen. 718b
UROGRAPHY, 680e
UROLOGY, biopsy 604j; surg. 794b
UTERUS, antispasmodics 786c; cancer 567f,567i,584q 589b,653m,725v,744c; cannula 664c; develop. 583e; fibroid 770e; gravid, dis. 796k; hemorrh. 746b; physiol. 744-1; prolapse 629t,657u; puerperal inversion 583-1; rupt. 687v; sarcoma 669g,726b; traum. rupture 760p; tumor 712a,738-1
UVEA, 686h; inflamm. 621b,686g
VACCINATION, antirabic 721k,743k; appar. 736s; indic. 637-1,664a
VACCINE, prep. 630d
VACCINIA, 681-1; immun. 681-1; virus 565m
VACUTOME, 797b
VAGINA, dis. 738r,789o; douches 686f; exam. 789n,789p; hematoma 709v; infect., in child. 782e; inflamm. 583k,583p; mucosa 578p; mycotic inflamm. 676m; prolapse 583f,583m; surg. 583j; temperature 664d; venereal dis. ther. 651q; wds. & inj. 590v,712c
VAGOTOMY, 563w,757u,795p; compl. 681t; infradiaphr. 758v; results 735c,744v,764-1,770v; supradiaphr. 668g
VALSALVA'S TEST, 735a
VAS DEFERENS, inflamm. 639d
VASOMOTOR SYSTEM, dis. 603b,614f,686w; physiol. 690g,786m
VATER'S AMPULLA, cancer 603v; surg. 689c
VEGETABLES, raw 689s
VEINS, cava, obst. 689j; femoral 679j; surg. 666f
VEINS, VARICOSE, 608g,743p,793d; sclerother. 768c,768d,795t; surg. 590r,708u
VENEREAL DISEASES, 718h,718j,744e,756t,771i; Canada 613n; control 718-1; in seamen 689f; in soldiers 681g; North Carolina 630p; physiopathol. 639h; Poland 581j; Quebec 613o; serodiag. Alabama 673s; social asp. 660e; Sweden 769j; ther. 573h
VENEREAL LYMPHOGRANULOMA, Finland 573e
VENESECTION, in lit. 760w
VENOM, eff. 562n,661v
VENTILATION, hygiene 790u
VERATRUM VIRIDE, eff. 752i
VERBALISM, 704v
VERITOL, eff. 630f
VERTEBRAE, 2nd cervical fract. 690p
VETERANS, 779p; medical welfare 597a; rehab. 758a; tuberculous 773g
VETERINARY MEDICINE, chemother. 783r
VIBRATION, eff. 642e
VIBRIO, comma 587i
VIRUS DISEASES, 594b,685j; ther. 691j
VIRUSES, 582a,592j,713a,787a; activity 752m; concentr. 770-1; immun. 581n; inactiv. 755g; influenza 732q; mutat. 598t; neurotropic 713-1; plants 581m
VISCERA, oxygen consumption 754r; transpos. 603i
VISION, 697a; acuity 631p,696u; binocular 696e; environ. rel. 697c; fatigue 787n; field 696f,788f; perception 787j; school survey 777u; test 586u, 777c; triplopia postop. 768t
VITAL STATISTICS, 673i,705s,799j; Connecticut 789j; India 715o
VITAMIN A, 563p,600e,749b,771f,791s; Algeria 665r; blood 661b,661c; components 628r; defic. 789o; excess 689i; geriatric asp. 753r; liver 661d; metab. 621u; ther. 580o,593c,687s,769s
VITAMIN B, 786n; B_1 562p,562q,670-1
VITAMIN C, 587h,600e; defic. 597g; determ. 776m; elimin. 565o; in cabbage 619j; in citrus fruit 619k; in peppers 619s
VITAMIN D, ther. 597n,601u,624e
VITAMIN D_2, 600b,613q; ther. 573a,759c,769s; tox. 759f
VITAMIN E, 677j; eff. 734e
VITAMIN K, 662g,769t; ther. 685r
VITAMIN PP, 600e; ther. 742j,742k,742-1
VITAMINS, defic. 771u,785c; dermatovenereal asp. 674r; dextrose solut. 783h; in food 619t,735g; ther. 671a,677m,784g
VITELLINE DUCT, abnorm. 709e
VITILIGO, 780-1
VITREOUS HUMOR, 620o; chem. 777k
VOCAL CORDS, physiol. 786f; vibration 698n
VULVA, dis. 764i; endometriosis 652u; fluorescence 577r; tumor 743o; ulcer 698t
WAR, bacterial 631w; blindness 621g; evacuation 614s; hyg. 749-1; prisoners, care 653v,--dis. 615n; sanitation 614n; wounded, rehab. 772w
WARTS, plantar 652j,652k
WATER, anal. 666a,707d,790b; bact. 620-1; conc. meth. 799d; hyg. 791i; ionized & ozonized, ther. 768p; metab. 628a,628d; mineral 600u,601w,699a 738c,--gyn. asp. 592f; piping 789k; pollution 631s,707c; purification 631g,723-1,789v; supply 789v,790s,790t; waste, U.S. 789v
WATERHOUSE-FRIDERICHSEN SYNDROME, 780a
WELLCOME RESEARCH INSTITUTION, 656k
WHOOPING COUGH, blood in 763w; immun. 623k, 761u; roent. 781r; ther. 623n,685r,686b,686n
WIDAL'S REACTION, 585r
WILSON'S DISEASE, 690t
WOLFF-PARKINSON-WHITE SYNDROME, 610h, 680h
WORLD HEALTH ORGANIZATION, 714g,715o
WORLD WAR II, British child. 618n; psychiatr. asp. 618f,618m; psychol. asp. 618e,618-1
WOUNDS, bite 662v; comol. & seq. 726c; crash 708r; gunshot 717r,759i; healing 573b,589w, 708r,725m,756d; purulent ther. 795g; shell, roent. 633b; suture 794a
WRIST, disloc. 684k; surg. 748t
XENOPUS TEST, 584j
XERODERMA, pigmentosum 651n
YELLOW FEVER, control 713f; epidem. 713g; vaccin. 713e,764d
ZIRCONIUM, 693s
ZOOLOGY, exper. 725g
ZYGOMA, fract. 615i

EDITOR'S NOTE

This index was prepared cooperatively by a staff recruited from various divisions of the Library. To expedite its publication, journals on Chemistry, Physics and Veterinary Medicine were eliminated as they were assumed to be adequately indexed in Chemical Abstracts and the Bibliography of Agriculture. Articles listed in the weekly issues under Anthropology, General, History, Bibliography, Biography and Nutrition were indexed selectively; however, articles with any possible medical significance were included. This index further differs from the usual form in that articles have been indexed on a title-word basis when the subject could be expressed in that way. Inconsistencies in terminology result from this procedure as the need for publishing this index was considered urgent.

Because of limitations of space, no cross references are included in the indexes to the CURRENT LIST. In order further to conserve space, the subject subdivisions used have been abbreviated wherever practicable. A list of the abbreviations adopted appears below:

abdom. abdomen
abnorm. abnormalities
accomm. & refrac. accommodation and refraction
addict. addiction
admin. & dos. administration and dosage
admin. & org. administration and organization
anat. & histol. anatomy and histology
appar. apparatus
artif. artificial
bact. bacteriology
bibliogr. bibliography
chem. chemistry
comm. communicable
compl. complications
cond. conditions
congen. congenital
defic. deficiency
deform. deformities
degen. degeneration
dent. dental, dentistry
deriv. derivatives
determ. determination
develop. development
diag. diagnosis
dilat. dilatation
diphth. diphtheria
dis. diseases
disloc. dislocations
disord. disorders
econ. economic
educ. education
eff. effects
embryol. embryology
epidem. & statist. epidemiology and statistics
etiol. & pathogen. etiology and pathogenesis
exam. examination
excis. excision
for. bod. foreign bodies
form. formation
fract. fractures
Gt. Brit. Great Britain
gyn. gynecology
hemorrh. hemorrhage
hered. heredity
hist. history
hosp. hospitals, hospitalization
hyg. hygiene
immun. immunity
in child. in childhood
indust. industrial
infarc. infarction
infect. infection, infectious
inflamm. inflammation
inj. injuries, injurious
innerv. innervation
instr. instruments
insuff. insufficiency
manag. management
med. medical, medicine
metab. metabolism
metast. metastasis
morphol. morphology
mortal. mortality
nerv. nervous
neurol. neurology
nutrit. nutrition
obst. obstetrics
obstruct. obstruction, obstructive
parasit. parasitology
pathol. pathology, pathological
perf. perforation
pharm. pharmacy
phys. physical
physiol. physiology, physiologic
postop. postoperative
pregn. pregnancy
preop. preoperative
prep. preparation, preparations
preserv. preservation
prev. prevention
prod. production
progn. prognosis
progr. progress
psychiat. psychiatry, psychiatric
psychol. psychological, psychology
psychosom. psychosomatic
regen. regeneration
rehab. rehabilitation
rel. relations
roent. roentgenography
rupt. rupture
sanit. sanitation
seq. sequels
serv. services
soc. social
standard. standardization
statist. statistics
strict. stricture
surg. surgery, surgical
tech. technique
ther. therapy
thromb. thrombosis
tox. toxicity
transm. transmission
transpl. transplantation
traum. traumatic
U. S. United States
wds. wounds